illbruck

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.12.2014

Version number 4

Revision: 19.06.2014

SECTION 1: undertaking	SECTION 1: Identification of the substance/mixture and of the company/ undertaking				
· 1.1 Product ide	· 1.1 Product identifier				
· Trade name: N	· Trade name: Nullifire FF177				
<ul> <li>1.2 Relevant ide No further relevant</li> </ul>	<ul> <li>• MSDS code: A-N-FF177</li> <li>• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.</li> <li>• Application of the substance / the mixture Sealant</li> </ul>				
Manufacturer/S tremco illbruck F Vlietskade 1032 T: +31 (0) 18356	<ul> <li>1.3 Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier: tremco illbruck Productie B.V.</li> <li>Vlietskade 1032, 4241 WC Arkel</li> <li>T: +31 (0) 183568000, F: +31 (0) 183568100 msds@tremco-illbruck.com</li> </ul>				
tremco illbruck L Coupland Road, T: +44 (0) 1942	<ul> <li>Further information obtainable from: tremco illbruck Ltd</li> <li>Coupland Road, Hindley Green, Wigan, WN2 4HT</li> <li>T: +44 (0) 1942251400, F: +44 (0) 1942251410</li> <li>www.tremco-illbruck.co.uk, uk.info@tremco-illbruck.com</li> </ul>				
	• <b>1.4 Emergency telephone number:</b> During office hours tel.: +44 (0) 1942251400. At all other times please contact your national poisoning centre.				
SECTION 2:	Hazards id	entification			
		ostance or mixture			
	-	Regulation (EC) No 1272/2008 Extremely flammable aerosol. Pressurised container: May burst if heated.			
Resp. Sens. 1	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.			
Carc. 2	H351	Suspected of causing cancer.			
STOT RE 2	H373	May cause damage to organs through prolonged or repeated exposure.			
Acute Tox. 4	H332	Harmful if inhaled.			
Skin Irrit. 2	H315	Causes skin irritation.			
Eye Irrit. 2	H319	Causes serious eye irritation.			
Skin Sens. 1	H317	May cause an allergic skin reaction.			
STOT SE 3	H335	May cause respiratory irritation.			
		Directive 67/548/EEC or Directive 1999/45/EC			
R20-40-48/20:					
1120 40 40/20.		inhalation. Limited evidence of a carcinogenic effect. Harmful: danger of nage to health by prolonged exposure through inhalation.			

Safety data sheet according to 1907/2006/EC, Article 31



— GB -

Printing date 18.12.2014

Version number 4

Revision: 19.06.2014

interne dato	10.12.2014 Version number 4	Revision. 19.00.20
ade name:	Nullifire FF177	
		(Contd. of page
Xi; Irritan	t	
R36/37/3		
	mely flammable	
R12:	Extremely flammable.	
	ion concerning particular hazards for human and environn duct has to be labelled due to the calculation procedure of	
	for preparations of the EU" in the latest valid version.	
	Pressurised container.	
	ation system:	
	sification is according to the latest editions of the EU-lists, a	and extended by company a
literature	data.	
2.2 Labe	I elements	
	g according to Regulation (EC) No 1272/2008	
•	uct is classified and labelled according to the CLP regulation.	
Hazard p	victograms	
	$\land \land$	
<u>&lt; ()</u>		
$\mathbf{\nabla}$		
GHS02	GHS07 GHS08	
Signal w	ord Danger	
-	-	
Contains		
	nethanediisocyanate, isomers and homologues	
	t <b>atements</b> 29 Extremely flammable aerosol. Pressurised container: May b	urst if boatod
H332	Harmful if inhaled.	Juist Il Heateu.
H315		
H319	Causes serious eye irritation.	
H334	May cause allergy or asthma symptoms or breathing difficu	Ities if inhaled.
H317	May cause an allergic skin reaction.	
H351	Suspected of causing cancer.	
H335	May cause respiratory irritation.	
H373	May cause damage to organs through prolonged or repeate	ed exposure.
	onary statements	and other ignition courses.
P210	Keep away from heat, hot surfaces, sparks, open flames smoking.	and other ignition sources. I
P251	Do not pierce or burn, even after use.	
P285	In case of inadequate ventilation wear respiratory protection	n.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.	•••
	11 If experiencing respiratory symptoms: Call a POISON CEN	TER/doctor.
	12 Protect from sunlight. Do not expose to temperatures excee	
Supplem	ental information:	-
	Contains isocyanates. May produce an allergic reaction.	
2.3 Othe		
	of PBT and vPvB assessment	
PBT: Not	applicable.	Contra on service
		(Contd. on page

according to 1907/2006/EC, Article 31

Printing date 18.12.2014

Version number 4

Revision: 19.06.2014

(Contd. of page 2)

llbruck

#### Trade name: Nullifire FF177

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients				
<ul> <li>• 3.2 Mixtures</li> <li>• Description: Active substance with propellant</li> </ul>				
· Dangerous components:				
CAS: 9016-87-9 EINECS: 202-966-0	diphenylmethanediisocyanate, isomers and homologues Xn R20-40-48/20; Xn R42/43; Xi R36/37/38 Carc. Cat. 3	30- <50%		
	Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335			
EC number: 911-815-4 Reg.nr.: 01-2119486772-26-xxxx	tris(2-chloro-1-methylethyl)phosphate Xn R22 Acute Tox. 4, H302	10- <20%		
CAS: 115-10-6 EINECS: 204-065-8 Reg.nr.: 01-2119472128-37-xxxx	dimethyl ether F+ R12 Flam. Gas 1, H220; Press. Gas C, H280	5- <10%		
CAS: 8001-79-4 EINECS: 232-293-8	Castor oil Xi R38 Skin Irrit. 2, H315; Eye Irrit. 2, H319	5- <10%		
CAS: 75-28-5 EINECS: 200-857-2 Reg.nr.: 01-2119485395-27-xxxx	isobutane F+ R12 Flam. Gas 1, H220; Press. Gas C, H280	1- <5%		
CAS: 74-98-6 EINECS: 200-827-9	propane F+ R12 Flam. Gas 1, H220; Press. Gas C, H280	1- <5%		
CAS: 36483-57-5 EINECS: 253-057-0	2,2-dimethylpropan-1-ol, tribromo derivative Xi R36 Eye Irrit. 2, H319	1- <5%		
· Additional information:				

While curing the following substances are formed and released by a reaction with atmospheric humidity:

Carbon dioxide

For the wording of the listed risk phrases refer to section 16.

## **SECTION 4: First aid measures**

### $\cdot$ 4.1 Description of first aid measures

· General information: Take affected persons out of danger area and lay down.

#### · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

### · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If symptoms persist consult doctor.

according to 1907/2006/EC, Article 31

bruck

(Contd. of page 3)

Printing date 18.12.2014

Version number 4

Revision: 19.06.2014

Trade name: Nullifire FF177
(Contd. of pa
· After eye contact:
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
• After swallowing: Do not induce vomiting; call for medical help immediately.
4.2 Most important symptoms and effects, both acute and delayed
No further relevant information available.
Information for doctor: No further relevant information available.
Hazarda Na further relevant information evollable

Hazards No further relevant information available.

 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### SECTION 5: Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire. Carbon monoxide (CO)

Carbon dioxide Nitrogen oxides (NOx)

Under certain fire conditions, traces of other toxic gases cannot be excluded, e.g.:

Hydrogen cyanide (HCN) · 5.3 Advice for firefighters

• Protective equipment: Wear self-contained respiratory protective device.

## SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- · Information about fire and explosion protection:

Do not spray onto a naked flame or any incandescent material. Protect against electrostatic charges.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

according to 1907/2006/EC, Article 31

Printing date 18.12.2014

Version number 4

Revision: 19.06.2014

hruck

Trade name: Nullifire FF177

(Contd. of page 4) · 7.2 Conditions for safe storage, including any incompatibilities · Storage: · Requirements to be met by storerooms and receptacles: Observe official regulations on storing packagings with pressurised containers. · Information about storage in one common storage facility: Store away from water. · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight. • 7.3 Specific end use(s) No further relevant information available. **SECTION 8: Exposure controls/personal protection** · Additional information about design of technical facilities: No further data; see item 7. · 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues WEL Short-term value: 0.07 mg/m<sup>3</sup> Long-term value: 0.02 mg/m<sup>3</sup> Sen; as -NCO 115-10-6 dimethyl ether WEL Short-term value: 958 mg/m<sup>3</sup>, 500 ppm Long-term value: 766 mg/m<sup>3</sup>, 400 ppm · Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eves and skin. Do not inhale gases / fumes / aerosols. · Respiratory protection: This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used. · Protection of hands: Protective gloves · Material of gloves Nitrile rubber, NBR Recommended thickness of the material:  $\geq 0.4$  mm Butyl rubber, BR Recommended thickness of the material:  $\geq 0.7$  mm · Penetration time of glove material For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 6).

(Contd. on page 6)

according to 1907/2006/EC, Article 31

Printing date 18.12.2014

Version number 4

Revision: 19.06.2014

## Trade name: Nullifire FF177

(Contd. of page 5)

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

SECTION 9: Physical and che	emical properties
• 9.1 Information on basic physical a     · General Information	and chemical properties
· Appearance:	Assessed
Form: Colour:	Aerosol
· Odour:	According to product specification
· Odour: · Odour threshold:	Characteristic Not determined.
· pH-value:	Not determined.
<ul> <li>Melting point/Melting range:</li> </ul>	Not applicable, as aerosol.
<ul> <li>Boiling point/Boiling range:</li> </ul>	Not applicable, as aerosol.
· Flash point:	-97 °C
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosivative air/vapour mixtures are possible.
· Explosion limits:	
Lower:	3.0 Vol %
Upper:	18.6 Vol %
· Vapour pressure:	Not determined.
· Density at 20 °C:	1.06 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
water:	Insoluble.
· Partition coefficient (n-octanol/water): Not determined.	
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
	(Contd. on page

according to 1907/2006/EC, Article 31

Printing date 18.12.2014

Version number 4

Revision: 19.06.2014

Trade name: Nullifire FF177

(Contd. of page 6)

<ul> <li>Solvent content: VOC (EU)</li> </ul>	179.5 g/l	
VOC (EC)	16.90 %	
• 9.2 Other information	No further relevant information available.	

## **SECTION 10: Stability and reactivity**

· 10.1 Reactivity

### · 10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

### · 11.1 Information on toxicological effects

· Acute toxicity:

### · LD/LC50 values relevant for classification:

### 9016-87-9 diphenylmethanediisocyanate, isomers and homologues

 Oral
 LD50
 > 10000 mg/kg (rat)

 Dermal
 LD50
 > 10000 mg/kg (rabbit)

Inhalative LC50/4 h 0.493 mg/L (rat)

### Primary irritant effect:

- · on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.

### · Sensitisation:

Sensitisation possible through inhalation.

Sensitisation possible through skin contact.

Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Harmful

Irritant

# · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Carc. 2

# **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:

## 9016-87-9 diphenylmethanediisocyanate, isomers and homologues

EC50/24 h > 1000 mg/L (daphnia magna)





lillbruck

according to 1907/2006/EC, Article 31

Printing date 18.12.2014

Version number 4

Revision: 19.06.2014

Trade name: Nullifire FF177

(Contd. of page 7) LC0/96 h > 1000 mg/L (brachydanio rerio) NOEC/21 d > 10 mg/L (daphnia magna) · 12.2 Persistence and degradability No further relevant information available. • Other information: The product is difficultly biodegradable. · 12.3 Bioaccumulative potential No further relevant information available. • 12.4 Mobility in soil No further relevant information available. · Additional ecological information: · General notes: Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. · 12.5 Results of PBT and vPvB assessment • **PBT:** Not applicable. · vPvB: Not applicable. · 12.6 Other adverse effects No further relevant information available. **SECTION 13: Disposal considerations** · 13.1 Waste treatment methods · Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system. · European waste catalogue 16 05 05 gases in pressure containers other than those mentioned in 16 05 04 15 01 04 metallic packaging · Uncleaned packaging: · Recommendation: Disposal must be made according to official regulations. **SECTION 14: Transport information** · 14.1 UN-Number · ADR, IMDG, IATA UN1950 · 14.2 UN proper shipping name · ADR **1950 AEROSOLS** · IMDG AEROSOLS IATA AEROSOLS, flammable · 14.3 Transport hazard class(es) · ADR · Class 2 5F Gases. (Contd. on page 9)

– GB –



according to 1907/2006/EC, Article 31

Printing date 18.12.2014

Version number 4

Revision: 19.06.2014

Trade name: Nullifire FF177 (Contd. of page 8) Label 2.1 · IMDG, IATA 2.1 · Class · Label 2.1 · 14.4 Packing group · ADR, IMDG, IATA Void · 14.5 Environmental hazards: • Marine pollutant: No · 14.6 Special precautions for user Warning: Gases. · Danger code (Kemler): · EMS Number: F-D.S-U · 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · ADR · Limited quantities (LQ) 1L · Excepted quantities (EQ) Code: E0 Not permitted as Excepted Quantity · Transport category 2 · Tunnel restriction code D · Remarks: - Special provisions: 190, 327, 344, 625 (3.3) - Special provisions for carriage: V14 (7.2.4); CV9, CV12 (7.5.11); S2 (8.5) · IMDG Limited quantities (LQ) 1L · Excepted quantities (EQ) Code: E0 Not permitted as Excepted Quantity - Special provisions: 63, 190, 277, 327, 344, 959 · Remarks: (3.3)- Stowage and segragation: Protected from sources of heat. For 1950 AEROSOLS with a maximum capacity of 1 litre: Category A. Segregation as for class 9 but "Separated from" class 1 except division 1.4. · IATA · Remarks: - Special provisions: A145, A167, A802 (4.4) · UN "Model Regulation": **UN1950, AEROSOLS, 2.1** 

(Contd. on page 10)

- GB

according to 1907/2006/EC, Article 31

Printing date 18.12.2014

Version number 4

Revision: 19.06.2014

Trade name: Nullifire FF177

(Contd. of page 9)

# **SECTION 15: Regulatory information**

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 1999/45/EC.

"CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1). "CHIP" SI 2009 No.716. "REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments).

### · National regulations:

### · Information about limitation of use:

Employment restrictions concerning juveniles must be observed. Employment restrictions concerning pregnant and lactating women must be observed.

- · Other regulations, limitations and prohibitive regulations
- Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H220 Extremely flammable gas.
- H280 Contains gas under pressure; may explode if heated.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H373 May cause damage to organs through prolonged or repeated exposure.
- R12 Extremely flammable.
- R20 Harmful by inhalation.
- R22 Harmful if swallowed.
- R36 Irritating to eyes.
- R36/37/38 Irritating to eyes, respiratory system and skin.
- R38 Irritating to skin.
- R40 Limited evidence of a carcinogenic effect.
- R42/43 May cause sensitisation by inhalation and skin contact.
- R48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.
- Previous Revision Date: 13-04-2011 (UK)

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances



Safety data sheet according to 1907/2006/EC, Article 31



Printing date 18.12.2014

Version number 4

Revision: 19.06.2014

## Trade name: Nullifire FF177

CAS: Chemical Abstracts Service (division of the American Chemic VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Gas 1: Flammable gases, Hazard Category 1 Flam. Aerosol 1: Flammable aerosols, Hazard Category 1 Press. Gas C: Gases under pressure: Compressed gas Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 1 Skin Sens. 1: Sensitisation - Respirat., Hazard Category 1 Skin Sens. 1: Sensitisation - Skin, Hazard Category 2 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard	Category 3
Carc. 2: Carcinogenicity, Hazard Category 2 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard	
STOT RE 2: Specific target organ toxicity - Repeated exposure, Ha     * <b>Data compared to the previous version altered.</b>	card Category 2