

# FLOOR IS THE NEW PLAYGROUND



# iD Essential 30

*Explore our wide range of colours, surface aspects, formats and accessories to find the style you want. iD Essential 30 also features 12 colours with embossing in register where the surface is carved to match the natural essence of wood designs.*





# iD Essential 30

Go beyond convention and mix and match various finishes to create your fully personalised decor.



## DOUBLE HERRINGBONE

2 colours - Buy 1/2 of each colour\*

Uses models:

Washed Pine - Light Brown (24707 006)  
Washed Pine - Snow (24707 007)

Plank format (cm): 22.9 x 121.9



## WAVE REPEAT

2 colours - Buy 1/2 of each colour\*

Uses models:

Washed Pine - Light Brown (24707 006)  
Washed Pine - Snow (24707 007)

Plank format (cm): 22.9 x 121.9



## MARBLE PATH

2 colours - Buy 1/2 of each colour\*

Uses models:

Venezia - Beige (3979 002)  
Original Slate - Black (3976 006)

Tile format (cm): 30.5 x 61



## MIXED PATH

3 colours - Buy 1/3 of each colour\*

Uses models:

Venezia - Beige (3979 002)  
Original Slate - Grey (3979 007)  
Original Slate - Black (3976 006)


Tile format (cm): 30.5 x 61

\* Estimation based on this scaled square pattern



# iD Essential 30

Go beyond convention and mix and match various finishes to create your fully personalised decor.



### GARDEN ALLEY

2 colours - Buy 1/6 of Beige and 5/6 of Brown\*

Uses models:  
Country Oak - Beige (24707 001)  
Country Oak - Brown (24707 000)

Plank format (cm): 22.9 x 121.9



### JAPANESE GARDEN

2 colours - Buy 1/6 of Beige and 5/6 of Brown\*

Uses models:  
Venezia - Beige (3979 002)  
Country Oak - Brown (24707 000)

Plank format (cm): 22.9 x 121.9  
Tile format (cm): 30.5 x 61



### HOUSE OF CARDS

2 colours - Buy 2/3 of Beige and 1/3 of Brown\*

Uses models:  
Venezia - Beige (3979 002)  
Country Oak - Brown (24707 000)

Plank format (cm): 22.9 x 121.9  
Tile format (cm): 30.5 x 61



### ALICE IN WONDERLAND

2 colours - Buy 1/2 of each colour\*

Uses models:  
Venezia - Beige (3979 002)  
Country Oak - Brown (24707 000)

Plank format (cm): 22.9 x 121.9  
Tile format (cm): 30.5 x 61

\* Estimation based on this scaled square pattern

LARGE PLANK WITH EMBOSSING IN REGISTER



**CERUSED OAK\* - BEIGE**

24707 009  
22.9 x 121.9 cm  
LRV: 44.2%



**CERUSED OAK\* - LIGHT BROWN**

24707 010  
22.9 x 121.9 cm  
LRV: 29.8%



**CERUSED OAK\* - BROWN**

24707 011  
22.9 x 121.9 cm  
LRV: 24.4%



**COUNTRY OAK - BEIGE**

24707 001  
22.9 x 121.9 cm  
LRV: 23.6%



**COUNTRY OAK - GREY**

24707 003  
22.9 x 121.9 cm  
LRV: 22.1%



**COUNTRY OAK - NATURAL**

24707 002  
22.9 x 121.9 cm  
LRV: 13.3%



**COUNTRY OAK - BROWN**

24707 000  
22.9 x 121.9 cm  
LRV: 11.4%



**WASHED PINE - WHITE**

24707 004  
22.9 x 121.9 cm  
LRV: 40.2%



**WASHED PINE - BEIGE**

24707 005  
22.9 x 121.9 cm  
LRV: 44.4%



**WASHED PINE - LIGHT BROWN**

24707 006  
22.9 x 121.9 cm  
LRV: 32.8%



**WASHED PINE - SNOW**

24707 007  
22.9 x 121.9 cm  
LRV: 57.2%



**WASHED PINE - BLUE**

24707 008  
22.9 x 121.9 cm  
LRV: 26.7%

LARGE PLANK



**SMOKED OAK - WHITE**

3977 005  
22.9 x 121.9 cm  
LRV: 49.9%



**SMOKED OAK - LIGHT GREY**

3977 004  
22.9 x 121.9 cm  
LRV: 30.8%



**SMOKED OAK - NATURAL**

3977 002  
22.9 x 121.9 cm  
LRV: 18.0%



**SMOKED OAK - BROWN**

3977 001  
22.9 x 121.9 cm  
LRV: 10.1%



**SMOKED OAK - DARK GREY**

3977 003  
22.9 x 121.9 cm  
LRV: 15.0%



**SMOKED OAK - BLACK**

3977 000  
22.9 x 121.9 cm  
LRV: 4.3%



**PRIMARY PINE - WHITE**

3977 021  
22.9 x 121.9 cm  
LRV: 57.6%



**PRIMARY PINE - NATURAL**

3977 020  
22.9 x 121.9 cm  
LRV: 21.9%



**PRIMARY PINE - GREGE**

3977 018  
22.9 x 121.9 cm  
LRV: 30.1%



**PRIMARY PINE - DARK GREY**

3977 019  
22.9 x 121.9 cm  
LRV: 20.3%



**PRIMARY PINE - DARK BROWN**

3977 017  
22.9 x 121.9 cm  
LRV: 11.9%



**SOFT OAK - WHITE**

3977 011  
22.9 x 121.9 cm  
LRV: 53.0%

\*Cerused oak decors offer a large variety of patterns so colours may vary from one plank to the other within the same box.

LARGE PLANK



**SOFT OAK - LIGHT BEIGE**

3977 015  
22.9 x 121.9 cm  
LRV: 40.6%



**SOFT OAK - BEIGE**

3977 009 22.9 x 121.9 cm  
3976 009 15.2 x 91.4 cm  
LRV: 31.4%



**SOFT OAK - LIGHT BROWN**

3977 012 22.9 x 121.9 cm  
3976 012 15.2 x 91.4 cm  
LRV: 30.5%



**SOFT OAK - LIGHT GREY**

3977 010 22.9 x 121.9 cm  
3976 010 15.2 x 91.4 cm  
LRV: 23.7%



**SOFT OAK - NATURAL**

3977 008 22.9 x 121.9 cm  
3976 008 15.2 x 91.4 cm  
LRV: 22.3%



**SOFT OAK - BROWN**

3977 007  
22.9 x 121.9 cm  
LRV: 14.6%



**ASPEN OAK - GREY**

3977 013  
22.9 x 121.9 cm  
LRV: 22.6%



**ASPEN OAK - NATURAL**

3977 016  
22.9 x 121.9 cm  
LRV: 20.8%

STANDARD PLANK



**ASPEN OAK - BEIGE**

3977 014  
22.9 x 121.9 cm  
LRV: 43.7%



**WALNUT - LIGHT BROWN**

3976 034  
15.2 x 91.4 cm  
LRV: 5.7%



**BEECH - NATURAL**

3976 020  
15.2 x 91.4 cm  
LRV: 29.8%



**MAPLE - NATURAL**

3976 031  
15.2 x 91.4 cm  
LRV: 43.1%

TILE



**VENEZIA - BEIGE**

3979 002  
61 x 30.5 cm  
LRV: 41.9%



**VENEZIA - GREY**

3979 001  
61 x 30.5 cm  
LRV: 21.3%



**SCRATCHED METAL - GREY**

3979 008  
61 x 30.5 cm  
LRV: 20.6%



**ORIGINAL SLATE - GREY**

3979 007  
61 x 30.5 cm  
LRV: 35.0%



**ORIGINAL SLATE - BLACK**

3979 006  
61 x 30.5 cm  
LRV: 4.2%



**SANDSTONE - BROWN**

3979 005  
61 x 30.5 cm  
LRV: 15.6%




**SANDSTONE - BLACK**

3979 004  
61 x 30.5 cm  
LRV: 6.6%



# iD Essential 30

There are 3 patterns and 12 different colours available with embossing in register in the iD Essential 30 collection. This technique is used to create a precise texture that enhances a wood design. The surface is carved to match the natural essence of the wood, but unlike real wood, the surface interior does not absorb water and dirt and can be easily cleaned.



Zoom of the plank once engraved

Original pattern printed on the film

## GREAT DESIGN OPTIONS

- 50 colour options and 9 different surface aspects
- Plank and tile dimensions that you can combine to compose your own flooring expressions

## GREAT RESISTANCE AND EASY CLEANING

- Treated with the Tarkett TopClean™ surface protection that hardens the surface and simplifies cleaning and maintenance through reduced use of water, energy and chemical detergents.

## A PEOPLE-FRIENDLY SOLUTION


- Tarkett aims to provide tangible environmental and health benefits to flooring users, for domestic and light commercial use.
- Includes 2 eco-innovations that contribute environmental and indoor air quality benefits.



- Total VOC emissions are at least 10 times lower than Europe's strictest standards.



- Uses a phthalate-free technology, based on alternative plasticizers that can be used for sensitive applications such as the production of toys, food packaging and medical devices.



**1. TopClean™ surface treatment**  
*easy maintenance and higher resistance*

**2. Ultra tough transparent PVC wear layer**

**3. Design**  
*printed PVC film*

**4. PVC Compact**  
*backing and middle layers*





### Skirting



#### 1 PVC DECORATIVE SKIRTING

Compact skirting with decorative film and PUR surface treatment. Perfect matching with 22 iD Essential 30 references, see column 1 in the skirting chart below (10 x 60 x 2020 mm).  
Ordering unit: 16 units of 2.02 lm.

#### 2 LARGE DECORATIVE SKIRTING

8025 ---  
Large laminate skirting (17 x 60 x 2400 mm, 21 LVT resembling colours available).  
Ordering unit: 10 units of 2.4 lm.  
Fixing system available: plastic clip holders.

| Design & Colours      | 1         | 2        |
|-----------------------|-----------|----------|
| SMOKED OAK-BLACK      | -         | 8025 239 |
| SMOKED OAK-BROWN      | 24640 212 | 8025 197 |
| SMOKED OAK-NATURAL    | -         | 8025 327 |
| SMOKED OAK-DARK GREY  | 24640 211 | 8025 303 |
| SMOKED OAK-LIGHT GREY | 24640 210 | 8025 129 |
| SMOKED OAK-WHITE      | -         | 8025 326 |
| SOFT OAK-BROWN        | 24640 218 | 8025 214 |
| SOFT OAK-NATURAL      | 24640 215 | 8025 006 |
| SOFT OAK-BEIGE        | 24640 217 | 8025 217 |
| SOFT OAK-LIGHT GREY   | 24640 219 | 8025 214 |
| SOFT OAK-WHITE        | -         | 8025 240 |
| SOFT OAK-LIGHT BROWN  | 24640 218 | 8025 006 |
| SOFT OAK-LIGHT BEIGE  | 24640 216 | -        |
| ASPEN OAK-GREY        | -         | 8025 326 |
| ASPEN OAK-BEIGE       | -         | 8025 326 |

| Design & Colours        | 1         | 2        |
|-------------------------|-----------|----------|
| COLOURED PINE-GREY      | 26640 201 | -        |
| BEECH-NATURAL           | -         | 8025 006 |
| COUNTRY OAK-BEIGE       | 24640 238 | -        |
| COUNTRY OAK-NATURAL     | 24640 237 | -        |
| COUNTRY OAK-GREY        | 24640 236 | -        |
| WASHED PINE-WHITE       | 24640 206 | -        |
| WASHED PINE-BEIGE       | 24640 204 | -        |
| WASHED PINE-LIGHT BROWN | 24640 205 | -        |
| WASHED PINE-SNOW        | 24640 202 | -        |
| WASHED PINE-BLUE        | 24640 203 | -        |
| CERUSED OAK-BEIGE       | 24640 207 | 8025 326 |
| CERUSED OAK-LIGHT BROWN | 24640 209 | 8025 326 |
| CERUSED OAK-BROWN       | 24640 208 | 8025 326 |
| VENEZIA-GREY            | 24640 224 | 8025 284 |
| SANDSTONE-BLACK         | -         | 8025 283 |

### Underlay

#### TARKOFLAT LOOSE-LAY

##### Ready-to-use solution


- Reduces slight unevenness in older subfloors by up to 1.5mm depth and 3mm width
- Prevents telegraphic effect, the appearance of bumps and ridges from the substrate by up to 1.5mm depth
- Residential and light traffic commercial applications (Class 32 max.)

##### Quick and easy to install\*

Ref.: 3568 004 - Grey




### Profile



#### SELF-ADHESIVE TRANSITION PROFILE

Self-adhesive aluminium transition strip, for a perfect transition between different flooring materials. Suitable for use in heavy traffic areas.

1 colour: Ref.: Silver 1470 008  
Delivery form: 10 units of 2.7 lm



#### TRANSITION PROFILE

Aluminium transition profile, to be screwed.

1 colour: Ref.: Silver 1480 008  
Delivery form: 10 units of 2.7 lm

\*Tarkett recommend a selection of manufacturer adhesive (list available at: [professionals.tarkett.com/content/list-recommended-adhesives](https://professionals.tarkett.com/content/list-recommended-adhesives)). It is the responsibility of the adhesive manufacturer and flooring contractor to ensure the product being used is appropriate to use and applied in accordance with the manufacturer recommendations.



## Specification




Luxury vinyl floorcovering in tiles and planks for domestic and light commercial use.  
TopClean™ polyurethane reinforcement. Product standard: ISO 10582.

| CERTIFICATION & CLASSIFICATION | STANDARDS                           | iD Essential 30  |
|--------------------------------|-------------------------------------|--|
| Type of floor covering         | ISO 10582                           | Compact Resilient Floorcovering  |
| CE certification               | EN 14041                            | Yes  |
| Classification                 | EN ISO 10874 (EN 685)               | Domestic: 23<br>Commercial: 31   |
| TECHNICAL CHARACTERISTICS      | STANDARDS                           | iD Essential 30  |
| Total thickness                | EN ISO 24346 (EN 428)               | 2.0 mm   |
| Wear layer thickness           | EN ISO 24340 (EN 429)               | 0.30 mm  |
| Surface treatment (PUR)        |                                     | TopClean™  |
| Total weight                   | EN ISO 23997 (EN 430)               | 3.400 g/m <sup>2</sup>   |
| Wear layer binder content      | ISO 10582                           | Type I   |
| Form of delivery               | EN ISO 24342 (EN 427)<br>Planks Box | 15.2 x 91.4 cm - 24 planks /box = 3.34 m <sup>2</sup><br>art. no. 3976 ___ 3 digit colour number<br>22.9 x 121.9 cm art. no. 3977 / 24707 ___ 3 digit colour number<br>Tiles<br>30.5 x 61.0 cm - 18 tiles/box = 3.34 m <sup>2</sup><br>art. no. 3979 ___ 3 digit colour number |
| TECHNICAL PERFORMANCES         | STANDARDS                           | iD Essential 30  |
| Dimensional stability          | EN ISO 23999 (EN 434)               | ≤ 0.25 %   |
| Reaction to fire               | EN 13501-1                          | B <sub>n</sub> -s1 glued over A2fl or A1fl substrate (concrete)  |
| Residual indentation           | EN ISO 24343-1 (EN 433)             | Required value: ≤ 0.10 mm<br>Average measured value: 0.03 mm   |
| Furniture leg                  | EN 424                              | No damage  |
| Castor chair                   | ISO 4918 (EN 425)                   | No damage  |
| Curl resultant to heat         | EN ISO 23999 (EN 434)               | ≤ 2 mm   |
| Thermal resistance             | EN ISO 10456                        | 0.07 m <sup>2</sup> K/W  |
| Underfloor heating             |                                     | Suitable – max. 27°C   |
| Impact sound reduction         | EN ISO 140-8 EN ISO 717/2           | ΔL <sub>w</sub> = 4 dB   |
| Light fastness                 | EN ISO 105-B02                      | ≥ 6  |
| Resistance to chemicals        | EN ISO 26987 (EN 423)               | Good resistance  |
| Slip resistance                | DIN 51130<br>EN 13893               | R9   |
| Electrical properties          | EN 1815<br>EN 1081                  | < 2 kV on concrete<br>R <sub>t</sub> > 10 <sup>10</sup> Ω  |
| Colours                        |                                     | Wood: 36 - Ceramic: 7  |

Technical data in force upon the date of publication (11/15). The values correspond to laboratory tests (no in situ test) and are subject to modification. Tarkett's instructions regarding installation, cleaning and maintenance shall be observed. Please contact your local sales rep. for these instructions.

CUSTOMS TARIFF: 48205000000F

Our Sustainability tag explains the content of our products and how they contribute to our sustainability strategy and human well-being.



# FLOOR IS THE NEW PLAYGROUND

[flooristhewnewplayground.tarkett.com](http://flooristhewnewplayground.tarkett.com)

■ **WESTERN EUROPE:** Austria: Tarkett Holding GmbH, Niederlassung Wien – Tel. +43 1 47 88 062 ■ Belgium: Tarkett France Belux – Tel. +32 16 35 98 80 ■ Denmark: Tarkett A/S – Tel. +45 43 90 60 11 ■ Finland: Tarkett Oy – Tel. +358 9 4257 9000 ■ France: Tarkett SAS – Tel. +33 1 41 20 42 49 ■ Germany: Tarkett Holding GmbH, Bereich Objekt – Tel. +49 62 33 810 ■ Greece: Tarkett Monoprosopi Ltd – Tel. +30 210 6745 340 ■ Italy: Tarkett S.p.A. – Tel. +39 0744 7551 ■ Luxembourg: Tarkett GDL SA – Tel. +352 949 211 8804 ■ Netherlands: Tarkett Holding GmbH, Vestiging Nederland – Tel. +31 76 57 80 760 ■ Norway: Tarkett AS – Tel. +47 32 20 92 00 ■ Portugal: Tarkett SA – Tel. +351 21 427 64 20 ■ Spain: Tarkett Floors S.L. – Tel. +34 91 358 00 35 ■ Sweden: Tarkett Sverige AB – Tel. +46 771 25 19 00 ■ Switzerland: Tarkett Holding GmbH, Bereich Objekt Schweiz – Tel. +41 043 233 79 24 ■ Turkey: Tarkett Aspen – Tel. +90 212 213 65 80 ■ United Kingdom: Tarkett Ltd – Tel. +44 (0) 1622 854 040 ■ **EASTERN EUROPE:** Baltic Countries: Tarkett Baltics: Tel. +370 37 262 220 ■ Czech Republic: Tarkett France SAS, org. slozka – Tel. +420-271 001 602 ■ Hungary: Tarkett France SAS – Tel. +36 1 437 8150 ■ Poland: Tarkett Polska Sp. z o.o. – Tel. +48 22 639 31 68 ■ Russian Federation: ZAO Tarkett RUS – Tel. +7 495 775 3737 ■ Slovakia: Tarkett France SAS, org.zlozka – Tel. +421 248 291 317 ■ South East Europe: Tarkett Trade d.o.o. – Tel. +381 21 7557 649 (44) 569 12 21 ■ Ukraine: Tarkett UA – Tel. +38 (0) 44 569 12 21 ■ **ASIA AND OCEANIA:** Australia: Tarkett Australia Pty Ltd – Tel. +61 2 88 53 12 00 ■ China: Tarkett Floor Covering (Shanghai) Co. Ltd. – Tel. +86 (21) 60 95 68 38 ext 841 ■ Hong Kong: Tarkett Asia Pacific Ltd. – Tel. +852 2511 8716 ■ India: Tarkett France (India Branch) – Tel. +91 11 4352 4073 ■ South East Asia: Tarkett Flooring Singapore Pte Ltd – Tel. +65 6346 1585 ■ **AFRICA:** Tarkett International: Tel. +33 1 41 20 41 01 ■ **MIDDLE EAST:** Tarkett Middle East: Tel. +961 1 51 3363/4 ■ Israel: Tarkett International: Tel. +33 1 41 20 41 01 ■ **NORTH AMERICA:** USA: Tarkett Inc. – Tel. +1 713 869 5811 / Johnsonite – Tel. +1 440 543 8916 ■ Canada: Tarkett Inc. – Tel. +1 450 293 173 ■ **LATIN AMERICA:** Brazil: Tarkett Fademac – Tel. 55 12 3954 7108 ■ Other countries: Tarkett America Latina – Tel. +55 11 3047 7200 ■ Argentina - Chile - Uruguay: Tarkett Latam Mercosur - Tel. 54 11 48 06 74 28 / 54 9 11 44 46 88 82 ■ Colombia - Panama - Caribbean: Tarkett Latam Andina – Tel. 57 1 759 5781 / 57 312 273 1566 ■ Bolivia - Ecuador - Paraguay - Peru: Tarkett Latam Sur Oeste - Tel. 55 11 3047 7233 ■ Mexico / Central America: Tarkett Latam Mexico - Tel. 52 735 35 63 918 / 52 55 51 07 9524



THE ULTIMATE  
FLOORING EXPERIENCE