LUXURY VINYL TILES

iD Essential Click

FLOOR IS THE NEW PLAYGROUND

Tarkett

THE ULTIMATE
FLOORING EXPERIENCE

iD Essential
Click

Express yourself through flooring design with 8 versatile and amazing colours from the iD Essential Click collection. You can also add a 19 dB impact sound reduction acoustic underlay for more at-home comfort.

iD Essential Click

Explore some of the combinations we've created to bring a new look and feel to your interior design.

BRITISH ALLEY

*2 colours - Buy 1/6 of Dark Grey and 5/6 of Light Grey**

Uses models:
Toasted Oak - Light Grey (24722 003)
Toasted Oak - Dark Grey (24722 004)

Plank format (cm): 18.3 x 122

HEARTBEAT

*2 colours - Buy 1/2 of each colour**

Uses models:
Toasted Oak - Light Grey (24722 003)
Toasted Oak - Dark Grey (24722 004)

Plank format (cm): 18.3 x 122

V BEAT

*3 colours - Buy 1/3 of each colour**

Uses models:
Toasted Oak - Light Grey (24722 003)
Toasted Oak - Dark Grey (24722 004)
Rust Metal - Black (24723 002)

Plank format (cm): 18.3 x 122
Tile format (cm): 31 x 60.3

DISRUPTED BEAT

*3 colours - Buy 1/3 of each colour**

Uses models:
Toasted Oak - Light Grey (24722 003)
Toasted Oak - Dark Grey (24722 004)
Rust Metal - Black (24723 002)

Plank format (cm): 18.3 x 122
Tile format (cm): 31 x 60.3

** Estimation based on this scaled square pattern*

iD Essential Click

Explore some of the combinations we've created to bring a new look and feel to interior design.

FRENCH MARINIERE

*2 colours - Buy 1/2 of each colour**

Uses models:
Limewashed Oak - Beige (24722 000)
Limewashed Oak - Brown (24722 001)

Plank format (cm): 18.3 x 122

CLUB TIE

*2 colours - Buy 3/4 of Beige and 1/4 of Brown**

Uses models:
Limewashed Oak - Beige (24722 000)
Limewashed Oak - Brown (24722 001)

Plank format (cm): 18.3 x 122

LINEAR FIELD

*3 colours - Buy 1/3 of each colour**

Uses models:
Limewashed Oak - Beige (24722 000)
Limewashed Oak - Brown (24722 001)
Rust Metal - Brown (24723 001)

Plank format (cm): 18.3 x 122
Tile format (cm): 31 x 60.3

LINEAR FIELD 2

*3 colours - Buy 1/3 of each colour**

Uses models:
Limewashed Oak - Beige (24722 000)
Limewashed Oak - Brown (24722 001)
Rust Metal - Brown (24723 001)

Plank format (cm): 18.3 x 122
Tile format (cm): 31 x 60.3

** Estimation based on this scaled square pattern*

iD Essential **Click**

LIMEWASHED OAK* - BEIGE

24722 000
18.3 x 122 cm
LRV: 47.5%

LIMEWASHED OAK* - BROWN

24722 001
18.3 x 122 cm
LRV: 20.7%

TOASTED OAK - LIGHT GREY

24722 003
18.3 x 122 cm
LRV: 26.7%

TOASTED OAK - DARK GREY

24722 004
18.3 x 122 cm
LRV: 16.5%

DELICATE OAK - NATURAL

24722 002
18.3 x 122 cm
LRV: 17.3%

RUST METAL - BROWN

24723 001
31 x 60.3 cm
LRV: 7.4%

RUST METAL - BLACK

24723 002
31 x 60.3 cm
LRV: 4.8%

STONE - GREY

24723 000
31 x 60.3 cm
LRV: 27.2%

*Limewashed Oak decors offer a large variety of patterns so colours may vary from one plank to the other within the same box.

iD Essential **Click**

iD Essential Click is the ideal solution for new build and renovation in domestic environments. It requires no or little subfloor preparation and can even be installed on some existing flooring. Its click system allows a floating installation, avoiding the use of glue, making the installation 20% quicker than with glue-down products*. Future renovations are also easier and cheaper as the product can be removed with no damage to the subfloor. With Tarkomfort Premium underlay, your iD Essential Click flooring will benefit from a 19dB acoustic sound reduction.

***Estimation - not binding**

iD ESSENTIAL CLICK FINISHING TOUCH

- All references feature perfectly colour-matched skirtings for a perfect finish.
- Comes with a complete range of accessories for user safety and efficient installation and project completion.
- Easy and rapid installation is matched by a permanent hold for a long-lasting solution.

GREAT RESISTANCE AND EASY CLEANING

- Treated with the Tarkett TopClean™ surface protection that hardens the surface and simplifies cleaning and maintenance through reduced use of water, energy and chemical detergents.

SUSTAINABLE DESIGN

- Eco-effective products that minimise our impact on the environment, contribute to people's well-being and can be reused at end-of-life in other products.
- Contributes to improved indoor air quality with total VOC emissions at least 10 times lower than Europe's strictest standards.
- Uses a phthalate-free technology, based on alternative plasticizers that can be used for sensitive applications such as the production of toys, food packaging and medical devices.



1. TopClean™ surface treatment
easy maintenance and higher resistance

2. Ultra tough transparent PVC wear layer

3. Design
printed PCV film

4. PVC Compact
backing and middle layers

Accessories

Skirting

Design & Colours	PVC decorative Skirting
LIMEWASHED OAK-BEIGE	26640 207
LIMEWASHED OAK-BROWN	26640 208
DELICATE OAK-NATURAL	26640 215
TOASTED OAK-LIGHT GREY	26640 210
TOASTED OAK-DARK GREY	26640 211
STONE-GREY	26640 224
RUST METAL-BROWN	26640 227
RUST METAL-BLACK	26640 226

PVC DECORATIVE SKIRTING

Compact skirting with decorative film and PUR surface treatment.
Perfect matching with 8 iD Essential Click references, see skirting chart above (10 x 60 x 2020 mm).
Ordering unit: 16 units of 2.02 lm.

Underlay

TARKOMFORT PRO

Acoustic Performance

- Acoustic high-resistance underlay specially designed for floating installation under LVT click (13dB with iD Essential Click)

Quick and easy to install

- Anti-slip film to be stripped off for easy installation

Ref.: 24992 020 - Brown

TARKOFLAT LOOSE-LAY

Ready-to-use solution

- Reduces slight unevenness in older subfloors by up to 1.5mm depth and 3mm width
- Prevents telegraphic effect, the appearance of bumps and ridges from the substrate by up to 1.5mm depth
- Residential and light traffic commercial applications (Class 32 max.)

Quick and easy to install

Ref.: 3568 004 - Grey

iD Essential **Click**

Profile

FLEXIBLE PROFILE

Aluminium stop profile, to be screwed.
Available in Silver (1456 011)
and Stainless Steel (1456 012) finishes.

TRANSITION PROFILE

Aluminum transition profile, to be screwed. Available in Silver (1451 011) and Stainless Steel (1451 012) finishes.



RAMP PROFILE

Aluminium ramp profile, to be screwed.
Available in Silver (1456 011)
and Stainless Steel (1456 012) finishes.

Accessibility

WARNING TILE

Helps recognize a change in level, in accordance with regulatory requirements for disabled access and safety.
Various formats available.
Self-adhesive or to be glued to the floorcovering (according to product).



Self-adhesive rectangular tiles
Format: 815 x 420 x 8mm
Ordering unit: 1 box of 6 tiles

Self-adhesive square tiles
Format: 450 x 420 x 8mm
Ordering unit: 1 box of 20 tiles

		Self-adhesive	
		Rectangular tile	*Square tile*
	White	*1440 350*	*1440 450*
	Grey	*1440 351*	*1440 451*
	Black	*1440 352*	*1440 452*
	Ivory	*1440 353*	*1440 453*
	Red	*1440 354*	*1440 454*
	Yellow	*1440 355*	*1440 455*



3D STUD

Ready-to-use podotactile studs to be simply fitted on top of the existing floorcovering.

Format (stud): 5 x 25mm
Ordering unit: 1 box of 200 studs

		Self-adhesive
	White	*1440 050*
	Grey	*1440 051*
	Black	*1440 052*
	Ivory	*1440 053*
	Red	*1440 054*
	Yellow	*1440 055*

Specification

Modular heterogeneous product. Product standard: EN ISO 10582.

CERTIFICATION & CLASSIFICATION	*STANDARDS*	**iD Essential Click**
Type of floor covering	EN ISO 10582	Compact Resilient Floorcovering
CE certification		Yes
Classification	EN ISO 10874	Residential: 23 Commercial: 31
TECHNICAL CHARACTERISTICS	*STANDARDS*	
Total thickness	EN ISO 24346	4.0 mm
Wear layer thickness	EN ISO 24340	0.30 mm
Surface treatment (PUR)		Yes - TopClean™
Bevelled edges		Yes - micro bevel
Total weight	EN ISO 23997	7400 g/m²
Wear layer binder content	ISO 10582	Type I
Form of delivery	EN ISO 24342	
	Planks Box	18.3 x 122 cm 9 planks/box (= 2.009 m²)
	Tiles	31 x 60.3 cm 9 tiles/box (= 1.682 m²)
	ISO 24341 - EN 426 Sheet	-
TECHNICAL PERFORMANCES	*STANDARDS*	
Dimensional stability	EN ISO 23999	≤ 0.10 %
Reaction to fire	EN 13501-1	B_{fl}-s1 over concrete and wood substrate
Residual indentation	EN ISO 24343-1	≤ 0.08 mm
Furniture leg	EN 424	No damage
Castor chair	ISO 4918	No damage
Underfloor heating		Suitable – max. 27°C
Thermal resistance	ISO 10456	0.03 m² K/W
Impact sound reduction	EN ISO 717-2	ΔL_w = 5 dB 13 dB with Tarkomfort Pro
Reduction of in room impact noise	NF S31-074	78 dB (Class C - $_{Ln,e,w}$ < 85 dB)
Light fastness	EN ISO 105-B02	≥ 6
Resistance to chemicals	EN ISO 26987	High resistance
Slip resistance	EN 13893 DIN 51130	μ ≥ 0.30 DS R9 (tiles) R10 (planks)
Electrical properties	EN 1081	ca. 10^9 Ohm
Colours		8

Technical data in force upon the date of publication (11/15). The values correspond to laboratory tests (no in situ test) and are subject to modification. Tarkett's instructions regarding installation, cleaning and maintenance shall be observed. Please contact your local sales rep. for these instructions.
Our Sustainability tag explains the content of our products and how they contribute to our sustainability strategy and human well-being.

CUSTOMS TARIFF : 482050000000F

TARKETT SUSTAINABILITY TAG

100 % Recyclable

PHTHALATE FREE Technology
* EXCEPT RECYCLED CONTENT

<100 µg/m³ Better Indoor Air Quality
*TVOC AT 28 DAYS

ÉMISSIONS DANS L'AIR INTÉRIEUR A+ A+ A B C

CE EN 14041:2004
iD Essential Click
0132-0058-DOP-2015-06
http://professionals.tarkett.com
Distributed by: Tarkett GDL S.A. L-9779 Lentzweiler

According to European Classification ISO 10874
23 31

ISO 9001 SGS
ISO 14001 SGS

Top Clean PUR

60.3 31 18.3 122

FLOOR
IS THE NEW
PLAYGROUND

flooristhenewplayground.tarkett.com

■ **WESTERN EUROPE: Austria:** Tarkett Holding GmbH, Niederlassung Wien – Tel. +43 1 47 88 062 ▪ **Belgium:** Tarkett France Belux – Tel. +32 16 35 98 80 ▪ **Denmark:** Tarkett A/S – Tel. +45 43 90 60 11 ▪ **Finland:** Tarkett Oy – Tel. +358 9 4257 9000 ▪ **France:** Tarkett SAS – Tel. +33 1 41 20 42 49 ▪ **Germany:** Tarkett Holding GmbH, Bereich Objekt – Tel. +49 62 33 810 ▪ **Greece:** Tarkett Monoprosopi Ltd – Tel. +30 210 6745 340 ▪ **Italy:** Tarkett S.p.A. – Tel. +39 0744 7551 ▪ **Luxembourg:** Tarkett GDL SA – Tel. +352 949 211 8804 ▪ **Netherlands:** Tarkett Holding GmbH, Vestiging Nederland – Tel. +31 76 57 80 760 ▪ **Norway:** Tarkett AS – Tel. +47 32 20 92 00 ▪ **Portugal:** Tarkett SA – Tel. +351 21 427 64 20 ▪ **Spain:** Tarkett Floors S.L – Tel. +34 91 358 00 35 ▪ **Sweden:** Tarkett Sverige AB – Tel. +46 771 25 19 00 ▪ **Switzerland:** Tarkett Holding GmbH, Bereich Objekt Schweiz – Tel. +41 043 233 79 24 ▪ **Turkey:** Tarkett Aspen - Tel. +90 212 213 65 80 ▪ **United Kingdom:** Tarkett Ltd – Tel. +44 (0) 1622 854 040
■ **EASTERN EUROPE: Baltic Countries:** Tarkett Baltics: Tel. +370 37 262 220 ▪ **Czech Republic:** Tarkett France SAS, org. slozka - Tel. +420-271 001 602 ▪ **Hungary:** Tarkett France SAS - Tel. +36 1 437 8150 ▪ **Poland:** Tarkett Polska Sp. z o. o. – Tel. +48 22 639 31 68 ▪ **Russian Federation:** ZAO Tarkett RUS - Tel. +7 495 775 3737 ▪ **Slovakia:** Tarkett France SAS, org.zlozka - Tel. +421 248 291 317 ▪ **South East Europe:** Tarkett Trade d.o.o. – Tel. +381 21 7557 649 (44) 569 12 21 ▪ **Ukraine:** Tarkett UA – Tel: +38 (0) 44 569 12 21 ■ **ASIA AND OCEANIA: Australia:** Tarkett Australia Pty Ltd – Tel. +61 2 88 53 12 00 ▪ **China:** Tarkett Floor Covering (Shanghai) Co. Ltd. – Tel. +86 (21) 60 95 68 38 ext 841 ▪ **Hong Kong:** Tarkett Asia Pacific Ltd. – Tel. +852 2511 8716 ▪ **India:** Tarkett France (India Branch) - Tel. +91 11 4352 4073 ▪ **South East Asia:** Tarkett Flooring Singapore Pte Ltd – Tel. +65 6346 1585 ■ **AFRICA: Tarkett International:** Tel. +33 1 41 20 41 01 ■ **MIDDLE EAST: Tarkett Middle East:** Tel. +961 1 51 3363/4 ▪ **Israël:** Tarkett International: Tel. +33 1 41 20 41 01
■ **NORTH AMERICA: USA:** Tarkett Inc. – Tel. +1 713 869 5811 / Johnsonite – Tel. + 1 440 543 8916 ▪ **Canada:** Tarkett Inc. – Tel. +1 450 293 173 ■ **LATIN AMERICA: Brazil:** Tarkett Fademac - Tel. 55 12 3954 7108 ▪ **Other countries:** Tarkett America Latina – Tel. +55 11 3047 7200 ▪ **Argentina - Chile - Uruguay:** Tarkett Latam Mercosur - Tel. 54 11 48 06 74 28 / 54 9 11 44 46 88 82 ▪ **Colombia - Panama - Caribian:** Tarkett Latam Andina - Tel. 57 1 759 5781 / 57 312 273 1566 ▪ **Bolivia - Ecuador - Paraguay - Peru:** Tarkett Latam Sur Oeste - Tel. 55 11 3047 7233 ▪ **Mexico /Central America:** Tarkett Latam Mexico - Tel. 52 735 35 63 918 / 52 55 51 07 9524

Xxxxxxxx – Xxxxxxxx – 11/15

Tarkett | THE ULTIMATE FLOORING EXPERIENCE