


AQUARELLE WALL



Soft - White




Soft



White

25903 034




Super White

25903 037




Medium Grey

25903 061



Beige

25903 100



Light Grey

25903 101

Variata



Red

25903 104



Turquoise

25903 103



Light Grey

25903 111



Light Beige


25903 112



Medium Grey


25903 113

Aquastone




Pearl

25903 114




Beige

25903 115



Light Grey

25903 116



Medium Grey

25903 117

TECHNICAL DATA	STANDARDS	Aquarelle Wall
Classification		
Type of wall covering	EN 15102	Heterogeneous compact wallcovering
Classification	EN 233	Pass
Characteristics		
Total thickness	ISO 24346 (EN 428)	0.92mm
Wear layer thickness	ISO 24340 (EN 429)	0.12mm
Total weight	ISO 23997 (EN 430)	1 500g/m ²
Technical performances		
Dimensional stability	ISO 23999 (EN 434)	Lengthwise: ≤ 0.80% Widthwise: ≤ 0.40%
Reaction to fire	EN 13501-1	C-s2 d0 on gypsum plasterboard and on A1 or A2 substrate
Seam strength	EN 684	≥ 150 N/50mm
Chemical resistance	ISO 26987 (EN 423)	Very good resistance
Hygiene	—	Does not contribute to infection spreading

The above information is subject to modifications for the benefit of further improvement (07/2015).

AQUARELLE WALL

Main Product Features

- Waterproof installation, ideal for wet domestic applications
- Fresh colours and modern designs
- Unique wetroom concept: matching floors, walls, borders and accessories available (compatible with Granit and/or Aquarelle Floor)
- Hygienic and easy to maintain

Surface Treatment



Sustainability Tag



(1) For all products produced in 2015

Logistics Information



Available in rolls
Rolls length: approx. 351m

Laying direction: horizontal installation recommended

General Information



Variata




Anthracite

25903 102



Play with the Room Designer

AQUARELLE WALL



Simone - Black




Kimono




Blue

25903 106



Grey


25903 107



White


25903 070

Leaf



Grey

25903 043*



Beige

25903 105

Simone



Black

25903 118




Silver

25903 119



Grey


25903 120



White

25903 121

Quadros




White

25903 122



Light Grey


25903 123



Dark Grey

25903 124

Brick



Grey

25903 072



Anthracite

25903 109



Beige

25903 110


TECHNICAL DATA	STANDARDS	Aquarelle Wall
Classification		
Type of wall covering	EN 15102	Heterogeneous compact wallcovering
Classification	EN 233	Pass
Characteristics		
Total thickness	ISO 24346 (EN 428)	0.92mm
Wear layer thickness	ISO 24340 (EN 429)	0.12mm
Total weight	ISO 23997 (EN 430)	1 500g/m ²
Technical performances		
Dimensional stability	ISO 23999 (EN 434)	Lengthwise: ≤ 0.80% Widthwise: ≤ 0.40%
Reaction to fire	EN 13501-1	C-s2 d0 on gypsum plasterboard and on A1 or A2 substrate
Seam strength	EN 684	≥ 150 N/50mm
Chemical resistance	ISO 26987 (EN 423)	Very good resistance
Hygiene	—	Does not contribute to infection spreading


The above information is subject to modifications for the benefit of further improvement (07/2015).

Circle




Anthracite

 25903 108



White

 25903 071

AQUARELLE WALL

Main Product Features

- Waterproof installation, ideal for wet domestic applications
- Fresh colours and modern designs
- Unique wetroom concept: matching floors, walls, borders and accessories available (compatible with Granit and/or Aquarelle Floor)
- Hygienic and easy to maintain

Surface Treatment



Sustainability Tag



(1) For all products produced in 2015

Logistics Information



Available in rolls
Rolls length: approx. 351m

Laying direction: horizontal installation recommended

General Information



Play with the Room Designer

* Not matching leaf grey border.