

FLOOR
IS THE NEW
PLAYGROUND



iD Square

Encourage efficiency at work by promoting one perfect team: comfort & well-being. For a calm and collaborative setting or a dynamic and inspiring space, you can find what you're looking for with the new iD Square collection.





iD Square

Endless possibilities to create the ideal office environment.
See what design layouts we've been working on.



LINEAR TWIST

3 colours - Buy 1/4 of Natural,
1/4 of Grey and 2/4 of Blue*

Uses models:

Minimal Wood - Natural (24563 100)
Minimal Wood - Grey (24563 101)
Dashes - Blue (24562 100)

Plank format (cm): 25 x 100
Tile format (cm): 50 x 50




BREADCRUMBS

3 colours - Buy 2/4 of Natural,
1/4 of Grey and 1/4 of Blue*

Uses models:

Minimal Wood - Natural (24563 100)
Minimal Wood - Grey (24563 101)
Dashes - Blue (24562 100)

Plank format (cm): 25 x 100
Tile format (cm): 50 x 50



TWISTED WEAVE

3 colours - Buy 2/5 of Natural,
2/5 of Grey and 1/5 of Blue*

Uses models:

Minimal Wood - Natural (24563 100)
Minimal Wood - Grey (24563 101)
Dashes - Blue (24562 100)

Plank format (cm): 25 x 100
Tile format (cm): 50 x 50



BOLIVIAN BASKET

3 colours - Buy 4/9 of Natural,
4/9 of Grey and 1/9 of Blue*

Uses models:

Minimal Wood - Natural (24563 100)
Minimal Wood - Grey (24563 101)
Dashes - Blue (24562 100)

Plank format (cm): 25 x 100
Tile format (cm): 50 x 50

* Estimation based on this scaled square pattern



iD Square

Endless possibilities to create the ideal office environment.
See what design layouts we've been working on.



BISHOP MOVES

3 colours - Buy 1/3 of each color*

Uses models:

- Vintage Zinc - Beige (24565 001)
- Vintage Zinc - Grege (24565 003)
- Vintage Zinc - Light Copper (24565 004)

Tile format (cm): 66 x 66



CUBE 2

3 colours - Buy 4/9 of Beige, 4/9 of Grege and 1/9 of Light Copper*

Uses models:

- Vintage Zinc - Beige (24565 001)
- Vintage Zinc - Grege (24565 003)
- Vintage Zinc - Light Copper (24565 004)

Tile format (cm): 66 x 66



NAPOLITAN

3 colours - Buy 1/3 of each colour *

Uses models:

- Vintage Zinc - Beige (24565 001)
- Vintage Zinc - Grege (24565 003)
- Vintage Zinc - Light Copper (24565 004)

Tile format (cm): 66 x 66



FLAG

3 colours - Buy 1/3 of each colour *

Uses models:

- Vintage Zinc - Beige (24565 001)
- Vintage Zinc - Grege (24565 003)
- Vintage Zinc - Light Copper (24565 004)

Tile format (cm): 66 x 66

* Estimation based on this scaled square pattern

LARGE TILE



VINTAGE ZINC - METALLIC
24565 002
LRV: 27.78% 66 x 66 cm



VINTAGE ZINC - BEIGE
24565 001
LRV: 24.66% 66 x 66 cm



VINTAGE ZINC - DARK GREY
24565 000
LRV: 18.78% 66 x 66 cm




VINTAGE ZINC - GREGE
24565 003
LRV: 10.28% 66 x 66 cm




VINTAGE ZINC - LIGHT COPPER
24565 004
LRV: 19.73% 66 x 66 cm



GRID - METALLIC
24566 000
LRV: 30.77% 66 x 66 cm



GRID - GREY
24566 003
LRV: 20.36% 66 x 66 cm



GRID - BLACK
24566 002
LRV: 8.3% 66 x 66 cm



GRID - METALLIC BLUE
24566 001
LRV: 24.47% 66 x 66 cm

TILE



TISSE - LIGHT GREY
24560 035
LRV: 35.46% 50 x 50 cm



TISSE - CHOCOLATE
24560 033
LRV: 18.65% 50 x 50 cm



TISSE - DARK GREY
24560 032
LRV: 14.57% 50 x 50 cm



FABRICS - LIGHT GREY
24562 001
LRV: 33.47% 50 x 50 cm



FABRICS - GREGE
24562 000
LRV: 10.21% 50 x 50 cm



FABRICS - GREY
24562 002
LRV: 26.64% 50 x 50 cm



PATCHWORK - LIGHT GREY
24560 026
LRV: 30.67% 50 x 50 cm








PATCHWORK - ANTHRACITE
24560 024
LRV: 13.54% 50 x 50 cm



ZEN - GREY
24560 022
LRV: 15.17% 50 x 50 cm

TILE



PLANK & TILE



iD Square

iD Square has the largest variety of designs & colours on the market to create serene or more stimulating ambiances to reflect the image and values of your company. Its colours combine and coordinate to enhance zoning. This unique offer has 3 different formats: 50 x 50 cm for classic & timeless designs, 66 x 66 cm with modern designs and fewer joints for optimal aesthetic, 25 x 100 cm and 50 x 50 cm to play on multi-combinations.

EMPLOYEES COMFORT & WORK EFFECTIVENESS


- Better in-room acoustic with less sound transmission - ideal for working areas where concentration is needed.
- Unmatched indoor air quality with <math><10\mu\text{g}/\text{m}^3</math> emission
- Phthalate-free technology is a guaranteed standard to ensure your employees' health.

EASY AND QUICK TO INSTALL & REMOVE

- Tackified offer: the flooring is easier to install and remove to ensure a tile replacement or to reach the subfloor.
- Smaller, more manageable pack quantities to minimise wastage on site.
- New 66 x 66 cm format that allows a 10% faster installation.

GREAT RESISTANCE AND EASY CLEANING

- Specifically developed for the demanding heavy-traffic work environment.
- Resistant to spread of water & coffee stains and easy to keep clean.
- Hygienic surface treated with TopClean XP™ that hardens the surface, simplifies cleaning and maintenance through reduced use of water, energy and chemical detergents.



1. TopClean XP™ PUR reinforcement
Extreme resistance and easy low cost maintenance

2. 0.80mm pure PVC transparent wear layer
Resistance to wear

3. Decorated compact impregnation
37 design options

4. Structure built with solid homogeneous calandered layers reinforced with non-woven glass fibre
Exceptional dimensional stability and excellent resistance to tear and indentation

5. Chemical foam backing
Acoustic performances





Accessories

Skirting



WALL BASE DECORATIVE SET-ON SKIRTING

Compact PVC skirting foreseen with decorative film and PUR treatment. To be glued.

2 colours:  Ref.: White 26640 500
 Ref.: Aluminium 26640 501
 Delivery Form: 16 units of 2.5 lm

Profile




FLEXIBLE PROFILE

Aluminium stop profile, to be screwed. Available in Silver (1456 011) and Stainless Steel (1456 012) finishes.



TRANSITION PROFILE

Aluminum transition profile, to be screwed. Available in Silver (1451 011) and Stainless Steel (1451 012) finishes.



RAMP PROFILE


Aluminium ramp profile, to be screwed. Available in Silver (1454 011) and Stainless Steel (1454 012) finishes.

Accessibility



WARNING TILE

Helps recognize a change in level, in accordance with regulatory requirements for disabled access and safety. Various formats available. Self-adhesive or to be glued to the floorcovering (according to product).



Self-adhesive rectangular tiles
 Format: 815 x 420 x 8mm
 Ordering unit: 1 box of 6 tiles

Self-adhesive square tiles
 Format: 450 x 420 x 8mm
 Ordering unit: 1 box of 20 tiles

	Self-adhesive	
	Rectangular tile	Square tile
White	1440 350	1440 450
Grey	1440 351	1440 451
Black	1440 352	1440 452
Ivory	1440 353	1440 453
Red	1440 354	1440 454
Yellow	1440 355	1440 455



3D STUD

Ready-to-use podotactile studs to be simply fitted on top of the existing floorcovering.

Format (stud): 5 x 25mm
 Ordering unit: 1 box of 200 studs

	Self-adhesive
White	1440 050
Grey	1440 051
Black	1440 052
Ivory	1440 053
Red	1440 054
Yellow	1440 055

Specification

Loose lay printed acoustic floorcovering in tile format.
 Glass fibre reinforcement. TopClean XP™ Polyurethane reinforcement on surface.

CERTIFICATION & CLASSIFICATION	STANDARDS	iD Square
Floor covering classification	EN ISO 10874	Acoustic resilient floor covering Commercial very heavy: 34
CE certification	EN 14041	Yes
TECHNICAL CHARACTERISTICS	STANDARDS	iD Square
Total thickness	EN ISO 24346	4.5 mm
Wear layer thickness	EN ISO 24340	0.80 mm
Total weight	EN ISO 23997	5195 g/m ²
Wear layer binder content	ISO 10582	Type I
Form of delivery	EN ISO 24342	
	Planks	25 x 100 cm 9 planks/box (= 2.25 m ² - 12 kg) - 48 boxes/pallet
	Tiles	50 x 50 cm 9 tiles/box (= 2.25 m ² - 12 kg) - 48 boxes/pallet 66 x 66 cm 5 tiles/box (= 2.22 m ² - 12 kg) - 26 boxes/pallet
TECHNICAL PERFORMANCES	STANDARDS	iD Square
Dimensional stability	EN ISO 23999	≤ 0.10 %
Reaction to fire	EN 13501-1	B _n s1 loose-laid or glued over any A2 _n or A1 _n substrate (concrete) C _n s1 loose-laid or glued over any derivate wood substrate
Residual indentation	Average measured value EN ISO 24343-1 requirement	0.15 mm ≤ 0.20 mm
Furniture leg	EN 424	No damage
Castor chair	EN ISO 4918	No damage
Thermal resistance	ISO 10456	0.04 m ² K/W
Impact sound reduction	EN ISO 717-2	ΔL _w = 15 dB (±1 dB)
Reduction of in room impact noise	NF S 31-074	Class B - L _{n,e,w} = < 75 dB
Acoustical absorption	EN ISO 11654	α _W = 0.05
Light fastness	EN ISO 105-B02	≥ 6
Resistance to chemicals	EN ISO 26987	High resistance
Slip resistance	EN 13893 DIN 51130	μ ≥ 0.30 R9
Electrical properties	EN 1081	R _i > 10 ¹⁰ Ohm
Colours		41

Technical data in force upon the date of publication (11/15). The values correspond to laboratory tests (no in situ test) and are subject to modification. Tarkett's instructions regarding installation, cleaning and maintenance shall be observed. Please contact your local sales rep. for these instructions.

CUSTOMS TARIFF: 482050000000F

Our Sustainability tag explains the content of our products and how they contribute to our sustainability strategy and human well-being.



FLOOR IS THE NEW PLAYGROUND

flooristhewnewplayground.tarkett.com

■ **WESTERN EUROPE:** Austria: Tarkett Holding GmbH, Niederlassung Wien – Tel. +43 1 47 88 062 ■ Belgium: Tarkett France Belux – Tel. +32 16 35 98 80 ■ Denmark: Tarkett A/S – Tel. +45 43 90 60 11 ■ Finland: Tarkett Oy – Tel. +358 9 4257 9000 ■ France: Tarkett SAS – Tel. +33 1 41 20 42 49 ■ Germany: Tarkett Holding GmbH, Bereich Objekt – Tel. +49 62 33 810 ■ Greece: Tarkett Monoprosopi Ltd – Tel. +30 210 6745 340 ■ Italy: Tarkett S.p.A. – Tel. +39 0744 7551 ■ Luxembourg: Tarkett GDL SA – Tel. +352 949 211 8804 ■ Netherlands: Tarkett Holding GmbH, Vestiging Nederland – Tel. +31 76 57 80 760 ■ Norway: Tarkett AS – Tel. +47 32 20 92 00 ■ Portugal: Tarkett SA – Tel. +351 21 427 64 20 ■ Spain: Tarkett Floors S.L. – Tel. +34 91 358 00 35 ■ Sweden: Tarkett Sverige AB – Tel. +46 771 25 19 00 ■ Switzerland: Tarkett Holding GmbH, Bereich Objekt Schweiz – Tel. +41 043 233 79 24 ■ Turkey: Tarkett Aspen – Tel. +90 212 213 65 80 ■ United Kingdom: Tarkett Ltd – Tel. +44 (0) 1622 854 040 ■ **EASTERN EUROPE:** Baltic Countries: Tarkett Baltics: Tel. +370 37 262 220 ■ Czech Republic: Tarkett France SAS, org. slozka – Tel. +420-271 001 602 ■ Hungary: Tarkett France SAS – Tel. +36 1 437 8150 ■ Poland: Tarkett Polska Sp. z o.o. – Tel. +48 22 639 31 68 ■ Russian Federation: ZAO Tarkett RUS – Tel. +7 495 775 3737 ■ Slovakia: Tarkett France SAS, org.zlozka – Tel. +421 248 291 317 ■ South East Europe: Tarkett Trade d.o.o. – Tel. +381 21 7557 649 (44) 569 12 21 ■ Ukraine: Tarkett UA – Tel. +38 (0) 44 569 12 21 ■ **ASIA AND OCEANIA:** Australia: Tarkett Australia Pty Ltd – Tel. +61 2 88 53 12 00 ■ China: Tarkett Floor Covering (Shanghai) Co. Ltd. – Tel. +86 (21) 60 95 68 38 ext.841 ■ Hong Kong: Tarkett Asia Pacific Ltd. – Tel. +852 2511 8716 ■ India: Tarkett France (India Branch) – Tel. +91 11 4352 4073 ■ South East Asia: Tarkett Flooring Singapore Pte Ltd – Tel. +65 6346 1585 ■ **AFRICA:** Tarkett International: Tel. +33 1 41 20 41 01 ■ **MIDDLE EAST:** Tarkett Middle East: Tel. +961 1 51 3363/4 ■ Israel: Tarkett International: Tel. +33 1 41 20 41 01 ■ **NORTH AMERICA:** USA: Tarkett Inc. – Tel. +1 713 869 5811 / Johnsonite – Tel. +1 440 543 8916 ■ Canada: Tarkett Inc. – Tel. +1 450 293 173 ■ **LATIN AMERICA:** Brazil: Tarkett Fademac – Tel. 55 12 3954 7108 ■ Other countries: Tarkett America Latina – Tel. +55 11 3047 7200 ■ Argentina - Chile - Uruguay: Tarkett Latam Mercosur - Tel. 54 11 48 06 74 28 / 54 9 11 44 46 88 82 ■ Colombia - Panama - Caribbean: Tarkett Latam Andina – Tel. 57 1 759 5781 / 57 312 273 1566 ■ Bolivia - Ecuador - Paraguay - Peru: Tarkett Latam Sur Oeste - Tel. 55 11 3047 7233 ■ Mexico / Central America: Tarkett Latam Mexico - Tel. 52 735 35 63 918 / 52 55 51 07 9524