



# DUCT TAPE

## Water Resistant Duct Tape

### Description

A water Resistant, all purpose, premium quality duct tape for binding, fixing, sealing, repairing, joining, protecting, marking and much more.

### Uses

Rubber based adhesive provides long lasting adhesion on most substrates.

Do not use on wet or oily surfaces. It is the users responsibility to determine suitability of use.

### Application

1. Ensure surfaces are clean, free from dust and dry.
2. Remove outer packaging from roll of tape.
3. Peel required amount of tape from roll, pressing firmly into place whilst unrolling.

4. Cut with a knife or tear when finished.

### Safe Handling Precautions

**Flammability: Non-Flammable**

This product will cause no major hazard or problem to the users health.

### Storage

Store in a cool dry place.

### Size

48mm x 45M.

### Specification Summary

Backing	PE laminated synthetic cloth
Adhesive	Synthetic Rubber
Total Weight	approx 155gsm
Thickness	140 microns +/- 10%
MD Tensile Strength	>28N/mm
Adhesion to Steed Plate	>5.5N/cm
Rolling Back Tack	>0.5cm

<b>Code:</b>	BDDT45S	BDDT45BL
<b>Size:</b>	48mm x 45M	48mm x 45M
<b>Barcode:</b>	5060021371614	5060021371621

The data presented in this leaflet are in accordance with the present state of our knowledge, but do not absolve the user from carefully checking all supplies immediately on receipt. We reserve the right to alter product constants within the scope of technical progress or new developments. The recommendations made in this leaflet should be checked by preliminary trials because of conditions during processing over which we have no control, especially where other companies raw materials are also being used. The recommendations do not absolve the user from the obligation of investigating the possibility of infringement of third parties rights and, if necessary clarifying the position. Recommendations for use do not constitute a warranty, either expressed or implied, of the fitness or suitability of the products for a particular purpose.

