Printing date 11.01.2016

Version number 3

Revision: 11.01.2016

TREMCO

Lasting Performance

Printing date 11.01.2016	Version number 3	Revision: 11.01.2016
SECTION 1: Identificat undertaking	ion of the substance/mixtur	e and of the company/
· 1.1 Product identifier		
· Trade name: TREMCO SX301	<u>A</u>	
No further relevant information a	f the substance or mixture and uses available. / the mixture Fast-cement-mortar	advised against
<ul> <li>1.3 Details of the supplier of the supplier.</li> <li>Manufacturer/Supplier: tremco illbruck Ltd</li> <li>Coupland Road, Hindley Green,</li> <li>Tel: +44 (0) 1942251400, Fax: msds@tremco-illbruck.com</li> </ul>	, Wigan, WN2 4HT	
<ul> <li>Further information obtainable tremco illbruck Ltd</li> <li>Coupland Road, Hindley Green, T: +44 (0) 1942251400, F: +44 ( www.tremco-illbruck.co.uk, uk.in</li> <li>1.4 Emergency telephone num During office hours tel.: +44 (0) centre.</li> </ul>	, Wigan, WN2 4HT (0) 1942251410 nfo@tremco-illbruck.com	contact your national poisoning
SECTION 2: Hazards iden	tification	
<ul> <li>• 2.1 Classification of the subst</li> <li>• Classification according to Residual Skin Irrit. 2 H315 Causes skin</li> <li>Eye Dam. 1 H318 Causes ser</li> <li>Skin Sens. 1 H317 May cause</li> </ul>	egulation (EC) No 1272/2008 n irritation. rious eye damage. an allergic skin reaction.	
<ul> <li>2.2 Label elements</li> <li>Labelling according to Regula The product is classified and lab</li> <li>Hazard pictograms</li> <li>GHS05 GHS07</li> </ul>		
· Signal word Danger		
· Contains:		
portland cement • Hazard statements H315 Causes skin irritation. H318 Causes serious eye dama H317 May cause an allergic skir		(Contd. on page 2)



Version number 3

Revision: 11.01.2016

Printing date 11.01.2016

Version number

#### Trade name: TREMCO SX301 A

(Contd. of page 1) Precautionary statements Wear protective gloves/protective clothing/eve protection/face protection. P280 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. P310 If skin irritation or rash occurs: Get medical advice/attention. P333+P313 IF ON SKIN: Wash with plenty of soap and water. P302+P352 Dispose of contents/container in accordance with local/regional/national/ P501 international regulations. · Supplemental information: Skin contact with wet cement, fresh concrete or mortar may cause irritation, dermatitis or burns. · 2.3 Other hazards · Results of PBT and vPvB assessment • **PBT:** Not applicable. · vPvB: Not applicable. **SECTION 3: Composition/information on ingredients** · 3.2 Mixtures · Description: Mixture of substances listed below with non-hazardous additions. · Dangerous components: CAS: 65997-15-1 portland cement 10- <20% EINECS: 266-043-4 Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335 · Additional information: For the wording of the listed risk phrases refer to section 16. SECTION 4: First aid measures 4.1 Description of first aid measures · General information: Take affected persons out of danger area and lay down. · After inhalation: Supply fresh air and to be sure call for a doctor. In case of unconsciousness place patient stably in side position for transportation. · After skin contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. • After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions

Skin contact with wet cement, fresh concrete or mortar may cause irritation, dermatitis or burns. Risk of serious damage to eyes.

Irritating to respiratory system.

Coughing

- · Information for doctor: No further relevant information available.
- · Hazards No further relevant information available.

(Contd. on page 3)

Safety data sheet

**TREMCO** Lasting Performance

according to 1907/2006/EC, Article 31

Printing date 11.01.2016

Version number 3

Revision: 11.01.2016

Trade name: TREMCO SX301 A

- (Contd. of page 2) · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. SECTION 5: Firefighting measures 5.1 Extinguishing media · Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions. · 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. · 5.3 Advice for firefighters • Protective equipment: Wear self-contained respiratory protective device. SECTION 6: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing. Ensure adequate ventilation Avoid formation of dust. • 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. · 6.3 Methods and material for containment and cleaning up: Keep away from water. Pick up mechanically. Do not breathe dust. Wear respiratory protection. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. SECTION 7: Handling and storage · 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. The usual precautionary measures are to be adhered to when handling chemicals. Avoid contact with the eyes and skin. Prevent formation of dust. • Information about fire - and explosion protection: The product is not flammable. · 7.2 Conditions for safe storage, including any incompatibilities
  - · Storage:
  - Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
  - Information about storage in one common storage facility: Protect from heat and direct sunlight.
  - Store away from metals.
  - Further information about storage conditions: Store in dry conditions. Protect from humidity and water.

# Safety data sheet

TREMCO Lasting Performance

according to 1907/2006/EC, Article 31

Printing date 11.01.2016

Version number 3

Revision: 11.01.2016

(Contd. of page 3)

Trade name: TREMCO SX301 A

• 7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

#### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

#### 65997-15-1 portland cement

WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup> \*inhalable dust \*\*respirable dust

#### • Additional information:

The lists valid during the making were used as basis. EH40/2005 Workplace Exposure Limits (2nd edition, 2011)

#### · 8.2 Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Use skin protection cream for skin protection. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not breathe dust.
- · Respiratory protection:



Dust/Particulate mask.

#### · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

#### · Material of gloves

Rubber gloves

Leather gloves

Strong material gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

# • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)



Version number 3

Revision: 11.01.2016

(Contd. of page 4)

# Trade name: TREMCO SX301 A

· Eye protection:

Printing date 11.01.2016



Tightly sealed goggles

· Body protection: Protective work clothing

# **SECTION 9: Physical and chemical properties**

<ul> <li>9.1 Information on basic phy</li> <li>General Information</li> <li>Appearance:</li> </ul>	sical and chemical properties
Form:	Powder
Colour:	Light grey
· Odour:	Mild
· pH-value:	11 - 13.5 (*) * when wet
<ul> <li>Melting point/Melting range:</li> </ul>	1250 °C
· Flash point:	Not applicable.
· Danger of explosion:	Product does not present an explosion hazard.
· Density at 20 °C:	3 g/cm <sup>3</sup>
· Solubility in / Miscibility with	
water:	Slightly soluble.
· Solvent content:	
Solids content:	100.0 %
<ul> <li>9.2 Other information</li> </ul>	No further relevant information available.

#### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity Stable
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Corrosive action on metals. Reacts with acids.
- Reacts with strong oxidising agents.
- · 10.4 Conditions to avoid Water / moisture.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

#### · 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.



Version number 3

Revision: 11.01.2016

# Printing date 11.01.2016

Trade name: TREMCO SX301 A

(Contd. of page 5)

- Primary irritant effect:
   Skin corrosion/irritation
   Skin contact with wet cement, fresh concrete or mortar may cause irritation, dermatitis or burns. Causes skin irritation.
- Serious eye damage/irritation Causes serious eye damage.

• Respiratory or skin sensitisation Chromium (VI) may cause allergic dermatitis by repeated and/or prolonged skin contact. May cause an allergic skin reaction.

 Additional toxicological information: Causes burns.

Frequent inhalation of dust over a long period of time increases the risk of developing lung diseases.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

High concentrations in water will cause the pH to rise which may cause harm to aquatic life. Do not allow product to reach ground water, water course or sewage system, even in small quantities.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

Disposal must be made according to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Waste disposal key: UK (WM3) : HP4 HP10 HP13

· European waste catalogue	
16 03 04	inorganic wastes other than those mentioned in 16 03 03
17 01 01	concrete
15 01 01	paper and cardboard packaging
-	(Contd. on page 7)

(Conto. on page 7)

**TREMCO** Lasting Performance

Version number 3

Revision: 11.01.2016

-----

Printing date 11.01.2016

### Trade name: TREMCO SX301 A

(Contd. of page 6)

#### · Uncleaned packaging:

· Recommendation:

Dispose of packaging according to regulations on the disposal of packagings. Non contaminated packagings may be recycled.

# **SECTION 14: Transport information**

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
<ul> <li>· 14.2 UN proper shipping name</li> <li>· ADR, ADN, IMDG, IATA</li> </ul>	Void	
<ul> <li>14.3 Transport hazard class(es)</li> </ul>		
· ADR, ADN, IMDG, IATA · Class	Void	
<ul> <li>14.4 Packing group</li> <li>ADR, IMDG, IATA</li> </ul>	Void	
<ul> <li>· 14.5 Environmental hazards:</li> <li>· Marine pollutant:</li> </ul>	No	
· 14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.		
· UN "Model Regulation":	Void	

# **SECTION 15: Regulatory information**

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
"CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1).
"CHIP" SI 2009 No.716.
"REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments). CEMBUREAU; The European Cement Association

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015

#### · National regulations:

- Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- Other regulations, limitations and prohibitive regulations "REACH" Regulation (EC) No 1907/2006; ANNEX XVII - RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

· Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

GB



Revision: 11.01.2016

(Contd. of page 7)

Printing date 11.01.2016

Version number 3

Trade name: TREMCO SX301 A

**SECTION 16: Other information** This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Relevant phrases H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation. Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3  $\cdot$  \* Data compared to the previous version altered. GB