

DECLARATION OF PERFORMANCE

No.002/CPR/01/07/2013



1. Unique Identification code of product type:

Ashzip Standing Seam

2. Type, batch or serial number or any other element allowing identification of construction product as required under Article 11(4) of the CPR:

Ashzip 65/400 ARS

3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

Self-supporting aluminium cladding sheet to be used for external roofs and walls

4. Name, registered trade name of registered trademark and contact address of the manufacturer as required under article 11(5):

**Ash & Lacy Building Systems
Bromford Iron & Steel Works
West Bromwich
West Midlands
B70 7JJ**

5. System or systems of assessment and verification of constancy of performance of the construction product as set out in CPR, Annex V:

System 4

6. In case of the declaration of performance concerning a construction product covered by a harmonized standard:

EN14782:2006

7. Declared performance

Nominal Thickness: 0.9mm class 2 EN508-2

Material: EN AW-3004 & 3105

Internal finish: Wash coat finish

External finish: Painted ARS

External fire performance: External Fire performance: Designation AA^Broof(t4) (European Class), as defined in Appendix A, Table A5 of Approved Document B to The Building Regulations 2010 (England and Wales) and in Technical Booklet E,

Reaction to fire: Class A1

Resistance to concentrated force: 1.2kN @ 1.8m span

Durability: Refer to BBA certificate

8. The performance of this product identified in points 1 & 2 is in conformity with the declared performance in point 7. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4

Signed for on behalf of the manufacturer by

A handwritten signature in black ink, appearing to read 'S Darlington', with several horizontal lines extending to the right.

Stephen Darlington
Technical Manager

Date of issue 01/07/13