

# CP581

## REINFORCED POLYESTER FLEECE

### KEY BENEFITS SUMMARY

- High strength properties
- Good elongation characteristics

### PRODUCT INFORMATION

#### Description

CP581 is an outstanding reinforcing fabric with significant advantages over fibreglass and organic felts.

#### Usage/Purpose

CP581 is used in conjunction with TREMCO MMA waterproofing systems either as a strip for crack bridging detail or as part of a fully fleece-reinforced system.

#### Colour

Natural

#### Fleece Weight

100 g/m<sup>2</sup>

#### Packaging

150 mm width x 91.5 m roll  
 1020 mm width x 98.8 m roll

#### Availability

Direct from tremco illbruck (see back of leaflet for address and telephone details).

#### Method of Application

Refer to the appropriate TREMCO MMA waterproofing specification.

### Technical Service

tremco illbruck has a team of experienced Technical Sales Representatives who provide assistance in the selection and specification of products. For more detailed information, service and advice, please call Customer Services on 01942 251400.

### Guarantee / Warranty

tremco illbruck products are manufactured to rigid standards of quality. Any product which has been applied (a) in accordance with tremco illbruck written instructions and (b) in any application recommended by tremco illbruck, but which is proved to be defective, will be replaced free of charge.

No liability can be accepted for the information provided in this leaflet although it is published in good faith and believed to be correct.

tremco illbruck Limited reserves the right to alter product specifications without prior notice, in line with Company policy of continuous development and improvement.

### TECHNICAL DATA

PROPERTY	RESULT
Composition	Polyester reinforced fabric.
Elongation Resistance (ASTM-D 1682)	23 kg
% Elongation	65%
Tear Resistance (ASTM-D 1117)	7.25 kg
Break Point (ASTM-D 3786)	80 kg
Weather Resistance	Excellent
Storage	Store undercover in dry, shaded conditions. Product must stay dry at all times.
Shelf Life	24 months when stored as recommended in original unopened packaging.