

**DECLARATION OF CONFIRMITY**  
**NR 3/G/STEGU/2014**

1. Product manufacturer:

**STEGU Sp. z o.o.**  
**ul. Dworcowa 8 , 46-025 Jełowa**

2. Construction product name:

**Finely dimensional decorative gypsum element CRETA**

3. Statistical classification of construction product:

**23.69.11-00**

4. Purpose and scope of the construction product:

**For perform indoor wall lining**

5. Technical Specifications:

**Technical Approval ITB – AT-15-7427/2014 z 2014 r**

Declared technical characteristics of the construction product type:

Characteristics	The performance of	Technical specifications
Tail external dimensions (mm)	<b>500x200x16÷18 mm</b> dimensional tolerances $\pm 5\%$	<b>AT-15-7427/2014</b>
Corner external dimensions (mm)	<b>130-270/245-385x200x16÷18 mm</b> dimensional tolerances $\pm 5\%$	
Phase composition:	<b>Gypsum (CaSO<sub>4</sub>: 2H<sub>2</sub>O)</b>	
Moisture content (%)	$\leq 0,5$	<b>PN-EN 12859:2011</b>
Compressive strength (MPa)	$\geq 9,0$	<b>PN-EN 1015-11:2001/A1:2007</b>
Flexural strength (MPa)	$\geq 4,0$	
The concentration of natural radioactive elements, activity coefficients: -f <sub>1</sub> -f <sub>2</sub> , Bq/kg	$< 1,2$ $< 240$	<b>Instruction ITB nr 455/2010</b>

Name and number of accredited certification body or testing laboratory and certificate number or report number study type, if such a unit took part in the applied system of conformity assessment of the product:

**Research Report No LB00-1418/10/Z00NB**

I declare with full responsibility that the construction product is in conformity with the technical specifications indicated in paragraph 5.

„STEGU” Spółka z o.o.  
DYREKTOR GENERALNY  
*Michał Biskup*

Jełowa 12.05.2014

.....  
(Place and date of issue)

.....  
(name and signature of authorized person)