

DECLARATION OF CONFIRMITY
NR 21/G/STEGU/2015

1. Product manufacturer:

STEGU Sp. z o.o.
ul. Dworcowa 8 , 46-025 Jelowa

2. Construction product name:

Finely dimensional decorative gypsum element METRO

3. Statistical classification of construction product:

23.69.11-00

4. Purpose and scope of the construction product:

For perform indoor wall lining

5. Technical Specifications:

Technical Approval ITB – AT-15-7427/2014 z 2014 r

Declared technical characteristics of the construction product type:

Characteristics	The performance of	Technical specifications
Tail external dimensions (mm)	505x86x12±30 mm dimensional tolerances ± 5 %	AT-15-7427/2014
Corner external dimensions (mm)	345/145x86x12±30 mm dimensional tolerances ± 5 %	
Phase composition:	Gypsum (CaSO₄: 2H₂O)	
Moisture content (%)	≤ 0,5	PN-EN 12859:2011
Compressive strength (MPa)	≥ 9,0	PN-EN 1015-11:2001/A1:2007
Flexural strength (MPa)	≥ 4,0	
The concentration of natural radioactive elements, activity coefficients: -f ₁ -f ₂ , Bq/kg	□ 1,2 □ 240	Instruction ITB nr 455/2010

Name and number of accredited certification body or testing laboratory and certificate number or report number study type, if such a unit took part in the applied system of conformity assessment of the product:

Research Report No LB00-1418/10/Z00NB

I declare with full responsibility that the construction product is in conformity with the technical specifications indicated in paragraph 5.

„STEGU” Spółka z o.o.
DYREKTOR GENERALNY
Michał Biskup

Jelowa 20.04.2015

.....
(Place and date of issue)

.....
(name and signature of authorized person)