

# SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/4

# SILICONE SEALANT REMOVER CLP

Revision n Revision date 2015-05-14

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product name	SILICONE SEALANT REMOVER CLP

#### 1.3. Details of the supplier of the safety data sheet

Company SEAL IT SERVICES LTD

Address T/A BOND IT

> Unit G16 Riverbank Way, Lowfields Business Park,

Elland.

West Yorkshire HX5 9DN

Web www.bond-it.co.uk 01422 315300 **Telephone** Fax 01422 315310 **Email** sales@bond-it.co.uk

### 1.4. Emergency telephone number

01422 315300 Emergency telephone number

8.30AM - 5.30PM Mon-Fri

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

2.1.1. Classification -Xn: R65

67/548/EEC

Symbols: Xn: Harmful.

Main hazards Harmful: may cause lung damage if swallowed

2.1.2. Classification - EC Asp. Tox. 1: H304; 1272/2008

2.2. Label elements

# Hazard pictograms



Signal Word

Danger

**Hazard Statement** 

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

**Precautionary Statement:** 

P301+P310 - IF SWALLOWED: IF SWALLOWED: Immediately call a POISON CENTER/doctor/ .

P331 - Do NOT induce vomiting.

**Precautionary Statement:** 

P405 - Store locked up.

Storage

Response

# SECTION 3: Composition/information on ingredients

#### 3.1. Substances

# SILICONE SEALANT REMOVER CLP

Revision 0 Revision date 2015-05-14

#### 3.1. Substances

# 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Kerosine - unspecified - distillates (petroleum), hydrotreated light	649-422-00-2	64742-47-8	265-149-8		50 - 60%	Xn; R65	
SULPHONIC ACID		27176-87-0			10 - 20%	Xi; R36/38	

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Kerosine - unspecified - distillates (petroleum), hydrotreated light	649-422-00-2	64742-47-8	265-149-8		50 - 60%	Asp. Tox. 1: H304;	
SULPHONIC ACID		27176-87-0			10 - 20%		

# SECTION 4: First aid measures

## 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.	
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.	
Ingestion	DO NOT INDUCE VOMITING.	

### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Harmful by inhalation. Inhalation may cause nausea and vomiting. May cause dizziness and headache.
Eye contact	May cause irritation to eyes.
Skin contact	May cause irritation to skin. May cause dermatitis.
Ingestion	Harmful if swallowed. Ingestion is irritating to the respiratory tract and may cause damage to the central nervous system. Ingestion may cause nausea and vomiting.

### 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Seek medical attention.	
Eye contact	Seek medical attention if irritation or symptoms persist.	
Skin contact	Seek medical attention if irritation or symptoms persist.	
Ingestion	If swallowed, seek medical advice immediately and show this container or label.	

# SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam.

# 5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

# 5.3. Advice for firefighters

Self-contained breathing apparatus. Wear protective clothing.

# SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Wear suitable protective equipment.

# 6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

## 6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

# SECTION 7: Handling and storage



# SILICONE SEALANT REMOVER CLP

Revision 0 Revision date 2015-05-14

#### 7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed.

# SECTION 8: Exposure controls/personal protection

#### 8.2. Exposure controls

Respiratory protection

Self-contained breathing apparatus. Wear protective clothing.

# SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance Paste Colour Amber Odour Mild Relative density 0.87 (H2O = 1 @ 20 °C) Initial boiling point 205 °C 70 °C Flash point 3 pН Melting point No data available Freezing Point No data available Odour threshold No data available **Evaporation rate** No data available Flammability (solid, gas) No data available

Vapour pressure
Vapour density
No data available
Viscosity

Explosive properties No data available

Oxidising properties No data available

Solubility No data available

## 9.2. Other information

Conductivity
Surface tension
Gas group
Benzene Content
Lead content
VOC (Volatile organic compounds)
No data available
No data available
No data available
No data available

# SECTION 10: Stability and reactivity

## 10.2. Chemical stability

Stable under normal conditions



# SILICONE SEALANT REMOVER CLP

Revision 0 Revision date 2015-05-14

SECTION 11: Toxicological i	nformation
11.1.4. Toxicological Information	n
	No data available
SECTION 12: Ecological info	ormation
12.1. Toxicity	
	No data available
SECTION 13: Disposal cons	iderations
General information	
	Dispose of in compliance with all local and national regulations.
SECTION 14: Transport info	rmation
ADR/RID	
	The product is not classified as dangerous for carriage.
IMDG	
	The product is not classified as dangerous for carriage.
IATA	
	The product is not classified as dangerous for carriage.
SECTION 15: Regulatory inf	ormation
15.1. Safety, health and enviror	mental regulations/legislation specific for the substance or mixture
Regulations	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EEC and 2000/21/EC.
SECTION 16: Other information	tion
Other information	
Text of risk phrases in Section 3 Text of Hazard Statements in Section 3	R36/38 - Irritating to eyes and skin. R65 - Harmful: may cause lung damage if swallowed. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

