

SAFETY DATA SHEET according to 1907/2006/EC, Article 31

MEGA FOAM CLP

Revision 2 - -- -

Page 1/7

	Revision date 2015-05-20
SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	MEGA FOAM CLP
1.3. Details of the supplier of the	e safety data sheet
Company	SEAL IT SERVICES LTD
Address	T/A BOND IT
	Unit G16 Riverbank Way,
	Lowfields Business Park,
	Elland, West Yorkshire HX5 9DN
Web	www.bond-it.co.uk
Telephone	01422 315300
Fax	01422 315310
Email	sales@bond-it.co.uk
1.4. Emergency telephone num	ber
Emergency telephone number	01422 315300
	8.30AM - 5.30PM Mon-Fri
SECTION 2: Hazards identif	ication
2.1. Classification of the substa	
2.1.1. Classification -	F+; R12 Xn; R20-40-42/43-48/20 Xi; R36/37/38
67/548/EEC	Symbols: F+: Extremely flammable. Xn: Harmful.
Main hazards	Extremely flammable. Harmful by inhalation. Irritating to eyes, respiratory system and skin. Limited
	evidence of a carcinogenic effect. May cause sensitisation by inhalation and skin contact. Harmful:
	danger of serious damage to health by prolonged exposure through inhalation.
2.1.2. Classification - EC 1272/2008	Flam. Aerosol 1: H222; Acute Tox. 4: H302+H332; Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; Resp. Sens. 1: H334; STOT SE 3: H335; Carc. 2: H351; Lact.: H362; STOT RE 2: H373;
2.2. Label elements	
Hazard pictograms	
Signal Word	Danger
Hazard Statement	Aerosols 1: H222 - Extremely flammable aerosol.
	Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled.
	Skin Irrit. 2: H315 - Causes skin irritation.
	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Resp. Sens. 1: H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled. STOT SE 3: H335 - May cause respiratory irritation.



 Revision
 2

 Revision date
 2015-05-20

2.2. Label elements	
	Carc. 2: H351 - Suspected of causing cancer .
	Lact.: H362 - May cause harm to breast-fed children.
	STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure .
Precautionary Statement:	P201 - Obtain special instructions before use.
Prevention	P202 - Do not handle until all safety precautions have been read and understood.
	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
	P211 - Do not spray on an open flame or other ignition source.
	P233 - Keep container tightly closed.
	P240 - Ground/bond container and receiving equipment.
	P241 - Use explosion-proof electrical/ventilating/lighting// equipment.
	P242 - Use only non-sparking tools.
	P243 - Take precautionary measures against static discharge.
	P251 - Do not pierce or burn, even after use.
	P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P263 - Avoid contact during pregnancy/while nursing.
	P264 - Wash thoroughly after handling.
	P270 - Do no eat, drink or smoke when using this product.
	P271 - Use only outdoors or in a well-ventilated area.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
	P284 - [In case of inadequate ventilation] wear respiratory protection.
Precautionary Statement:	P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor/ /if you feel unwell.
Response	P302+P352 - IF ON SKIN: Wash with plenty of water/.
	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse
	skin with water/shower.
	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P308+P313 - IF exposed or concerned: Get medical advice/attention.
	P312 - Call a POISON CENTER/doctor/ /if you feel unwell.
	P314 - Get medical advice/attention if you feel unwell.
	P321 - Specific treatment (see on this label).
	P330 - Rinse mouth.
	P332+P313 - If skin irritation occurs: Get medical advice/attention.
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
	P342+P311 - If experiencing respiratory symptoms: Call a POISON CENTER/doctor/
	P370+P378 - In case of fire: Use to extinguish.
Precautionary Statement:	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
Storage	P403+P235 - Store in a well-ventilated place. Keep cool.
U.S.	P405 - Store locked up.
	P410+P412 - Protect from sunlight. Do no expose to temperatures exceeding 50°C/ 122°F.
Precautionary Statement:	P501 - Dispose of contents/container to meet National Legislation and Environmental Regulations
Disposal	
·	1
SECTION 3: Composition/ir	nformation on ingredients

3.1. Substances



Revision 2 Revision date 2015-05-20

M-factor.

Classification

Xn; R20-40-42/43-48/20 Xi;

3.1. Substances

67/548/EEC / 1999/45/EC					
Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)
Diphenylmethanediisocyanate, isomers and homologues		9016-87-9			
alkanes, C14-17, chloro - Aerosol		85535-85-9			
Isobutane	601-004-00-0	75-28-5	200-857-2		

isomers and homologues alkanes, C14-17, chloro - Aerosol		85535-85-9		R36/37/38 N; R50/53 R64-66	
Isobutane	601-004-00-0	75-28-5	200-857-2	F+; R12	
Dimethyl ether	603-019-00-8	115-10-6	204-065-8	F+; R12	
Propane-1,2-diol, propoxylated		25322-69-4		Xn; R22	
Butane	601-004-00-0	106-97-8	203-448-7	F+; R12	
Propane	601-003-00-5	74-98-6	200-827-9	F+; R12	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Diphenylmethanediisocyanate,		9016-87-9				Skin Irrit. 2: H315; Skin Sens.	
isomers and homologues						1: H317; Eye Irrit. 2: H319;	
						Acute Tox. 4: H332; Resp.	
						Sens. 1: H334; STOT SE 3:	
						H335; Carc. 2: H351; STOT	
						RE 2: H373;	
alkanes, C14-17, chloro - Aerosol		85535-85-9				Lact.: H362; Aquatic Chronic	
						1: H410; EUH066;	
Isobutane	601-004-00-0	75-28-5	200-857-2			Flam. Gas 1: H220;	
Dimethyl ether	603-019-00-8	115-10-6	204-065-8			Flam. Gas 1: H220;	
Propane-1,2-diol, propoxylated		25322-69-4					
Butane	601-004-00-0	106-97-8	203-448-7			Flam. Gas 1: H220;	
Propane	601-003-00-5	74-98-6	200-827-9			Flam. Gas 1: H220;	

SECTION 4: First aid measures

4.1. Description of first aid measures

•				
Inhalation	Move the exposed person to fresh air.			
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.			
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.			
Ingestion	DO NOT INDUCE VOMITING.			
4.2. Most important symptoms a	and effects, both acute and delayed			
Inhalation	Harmful by inhalation. Inhalation may cause nausea and vomiting. May cause dizziness and headache.			
Eye contact	May cause irritation to eyes.			
Skin contact	May cause irritation to skin.			
Ingestion	Harmful if swallowed. Ingestion is irritating to the respiratory tract and may cause damage to the central nervous system. Ingestion may cause nausea and vomiting.			
4.3. Indication of any immediate	e medical attention and special treatment needed			
Inhalation	Seek medical attention.			
Eye contact	Seek medical attention if irritation or symptoms persist.			
Skin contact	Seek medical attention if irritation or symptoms persist.			
Ingestion	If swallowed, seek medical advice immediately and show this container or label.			
SECTION 5: Firefighting measures				

5.1. Extinguishing media

Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam.



Revision 2 Revision date 2015-05-20

5.2. Special hazards arising from	m the substance or mixture	
	Burning produces irritating, toxic and ob to source of ignition and flash back.	noxious fumes. Vapour may travel considerable distance
5.3. Advice for firefighters		
	Wear suitable respiratory equipment whe	en necessary.
SECTION 6: Accidental relea	ase measures	
6.1. Personal precautions, prote	ective equipment and emergency procedur	es
	Ensure adequate ventilation of the worki protective equipment.	ng area. Eliminate all sources of ignition. Wear suitable
6.2. Environmental precautions	-	
	Do not allow product to enter drains. Pre	vent further spillage if safe.
6.3. Methods and material for c	ontainment and cleaning up	
	Absorb with inert, absorbent material. Tr spillage area thoroughly with plenty of w	ansfer to suitable, labelled containers for disposal. Clean ater.
SECTION 7: Handling and s	torage	
7.1. Precautions for safe handli	ng	
		e adequate ventilation of the working area. Use explosion es of ignition - No smoking. Adopt best Manual Handling and dispensing.
7.2. Conditions for safe storage	, including any incompatibilities	
	Keep in a cool, dry, well ventilated area.	Keep containers tightly closed.
SECTION 8: Exposure contr	ols/personal protection	
8.1. Control parameters		
8.1.1. Exposure Limit Values		
Butane	WEL 8-hr limit ppm: 600	WEL 8-hr limit mg/m3: 1450

Butane	WEL 8-hr limit ppm: 600	WEL 8-hr limit mg/m3: 1450
	WEL 15 min limit ppm: 750	WEL 15 min limit mg/m3: 1810
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Dimethyl ether	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 766
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 958
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

8.2. Exposure controls

8.2.1. Appropriate engineering	Ensure adequate ventilation of the working area.
controls	
8.2.2. Individual protection	Wear chemical protective clothing.
measures	
Eye / face protection	Approved safety goggles.
Skin protection -	Chemical resistant gloves (PVC).
Handprotection	
Respiratory protection	Self-contained breathing apparatus. Wear protective clothing.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties



9.1. Information on basic physical and chemical properties

Appearance	Aerosol
Colour	Yellow
Odour	Characteristic
pH	No data available
Melting point	No data available
Initial boiling point	No data available
Flash point	-20 °C
Evaporation rate	No data available
Freezing Point	No data available
Flammability (solid, gas)	No data available
Autoignition temperature	No data available
Vapour pressure	No data available
Relative density	1.21 (H2O = 1 @ 20 °C)
Partition coefficient	No data available
Viscosity	No data available
Vapour density	No data available
Fat Solubility	No data available
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Insoluble in water

9.2. Other information

	o data available
Gas group No c	o data available
Surface tension No c) data available

SECTION 10: Stability and reactivity

10.2. Chemical stability

	Stable under normal conditions.				
10.3. Possibility of hazardous reactions					
	Oxidising agents.				
10.4. Conditions to avoid					
	Heat, sparks and open flames.				
SECTION 11: Toxicological	information				
11.1. Information on toxicologic	al effects				
Acute toxicity	No data is available on this product.				
Skin corrosion/irritation	No data is available on this product.				
Serious eye damage/irritation	No data is available on this product.				
Respiratory or skin sensitisation	No data is available on this product.				
Germ cell mutagenicity	No data is available on this product.				
Carcinogenicity	No data is available on this product.				
Reproductive toxicity	No data is available on this product.				
SECTION 12: Ecological information					
12.2. Persistence and degradat	12.2. Persistence and degradability				

No data is available on this product.

12.3. Bioaccumulative potential



Revision 2 Revision date 2015-05-20

12.3. Bioaccumulative potential		
	No data is available on this product.	
Partition coefficient		
	MEGA FOAM CLP No data available	
12.4. Mobility in soil		
	No data is available on this product.	
12.5. Results of PBT and vPvB assessment		
	No data is available on this product.	
SECTION 13: Disposal cons		
SECTION 13: Disposal considerations General information		
	Dispose of in compliance with all local and national regulations.	
SECTION 14: Transport info	rmation	
Hazard pictograms		
	2	
	▶	
14.1. UN number		
	UN1950	
14.2. UN proper shipping name		
	AEROSOLS	
14.3. Transport hazard class(es		
ADR/RID	2	
Subsidiary risk	see SP63	
IMDG Subsidiary risk	2 see SP63	
IATA	2	
Subsidiary risk	see SP63	
14.4. Packing group		
Packing group	-	
14.5. Environmental hazards		
Environmental hazards	No	
Marine pollutant	No	
ADR/RID		
Hazard ID	-	
Tunnel Category	(D)	
IMDG		
EmS Code	F-D S-U	
ΙΑΤΑ		
Packing Instruction (Cargo)	203	
Maximum quantity	150 kg	
Packing Instruction (Passenger)	203	
Maximum quantity	75 kg	
	·	



Revision 2

Revision date 2015-05-20

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives
	91/155/EEC, 93/67/EEC, 93/105/EEC and 2000/21/EC.

SECTION 16: Other information

Othor	information	
Uller	IIIIOIIIIauoii	

Revision	This document differs from the previous version in the following areas:.
	2 - Precautionary Statement: Disposal.
Text of risk phrases in Section	R12 - Extremely flammable.
3	R20 - Harmful by inhalation.
	R22 - Harmful if swallowed.
	R36/37/38 - Irritating to eyes, respiratory system and skin.
	R40 - Limited evidence of a carcinogenic effect.
	R42/43 - May cause sensitisation by inhalation and skin contact.
	R48/20 - Harmful: danger of serious damage to health by prolonged exposure through inhalation.
	R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic
	environment.
	R64 - May cause harm to breastfed babies.
	R66 - Repeated exposure may cause skin dryness or cracking.
Text of Hazard Statements in	Skin Irrit. 2: H315 - Causes skin irritation.
Section 3	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Acute Tox. 4: H332 - Harmful if inhaled.
	Resp. Sens. 1: H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.
	STOT SE 3: H335 - May cause respiratory irritation.
	Carc. 2: H351 - Suspected of causing cancer .
	STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure .
	Flam. Gas 1: H220 - Extremely flammable gas.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,
	storage and handling of the product. This information is correct to the best of our knowledge and
	belief at the date of publication however no guarantee is made to its accuracy. This information
	relates only to the specific material designated and may not be valid for such material used in
	combination with any other materials or in any other process.

