

DECLARATION OF PERFORMANCE

According to ANNEX III of the regulation (EU) N° 305/2011

Nullifire
Smart Protection

No. FS702 – 20210107

- 1. Unique identification code of the product-type:** Nullifire FS702 Intumastic
- 2. Intended use/es:** FS702 is a sealant used for linear joints and penetrations.
- 3. Manufacturer:** TREMCO CPG UK Limited, Coupland Road, Hindley Green, Wigan. WN24HT
- 4. System/s of AVCP:** System 1
- 5. European Assessment Document:** EAD 350141-00-1106, September 2017 - EAD 350454-00-1104, September 2017
European Technical Assessment: ETA 20/1315 - ETA 21/0010
Technical Assessment Body: ETA-Danmark A/S
Notified body/ies: CPR Notified Body DBI Certification A/S No.2531

6. Declared performance/s

Essential Characteristics	Performance
BWR 2 Safety in case of fire	
Reaction to fire (EN 13501-1)	Class E
Resistance to fire (EN 13501-2)	See ETA 20/1315 Annex A and ETA 21/0010 Annex A
BWR 3 Hygiene, health and environment	
Air Permeability (EN 1026:2000)	See ETA 21/0010 Annex B
Water Permeability (EAD 350141-00-1106 Annex C)	NPD
Release of dangerous substances	Declaration of manufacturer
BWR 4 Safety in use	
Mechanical resistance and stability (EOTA TR001:2003)	NPD
Resistance to impact / movement (EOTA TR001:2003)	NPD
Adhesion (EOTA TR001:2003)	NPD
Durability (EAD 350454-00-1104, Clause 2.2.9)	Z ₁
BWR 5 Protection against noise	
Airborne Sound Insulation (EN10140-2 / EN ISO 717-1)	See ETA 20/1315 Annex B and ETA 21/0010 Annex C
BWR 6 Energy economy and heat retention	
Thermal Properties (EN 12664, EN 12667 or EN 12939)	NPD
Water vapour permeability (EN ISO 12572 / EN 12086)	NPD

NPD = No Performance Determined

DECLARATION OF PERFORMANCE

According to ANNEX III of the regulation (EU) N° 305/2011

Nullifire
Smart Protection

7. Appropriate Technical Documentation and/or Specific Technical Documentation:

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

M. Liptrot, Operations Director



At Wigan on 7 January 2021

Annex:

According to Art. 6 (5) of the Regulation (EU) No. 305/2011 a Safety Data sheet according Regulation (EU) No. 1907/2006 (REACH), Annex II is available on the website to support this Declaration of Performance.

DECLARATION OF PERFORMANCE

According to ANNEX III of the regulation (EU) N° 305/2011

Nullifire
Smart Protection

CE	
TREMCO CPG UK Limited Coupland Road, Hindley Green, Wigan, WN2 4HT 21 2531-CPR-CX010109 FS702 – 20210107 www.nullifire.com/FS702	
EN 1366 Part 4 and Part 3 ETA 20/1315 and ETA 21/0010 EAD 350141-00-1106, September 2017 - EAD 350454-00-1104, September 2017 FS702 is a sealant used for linear joints and penetrations.	
Essential Characteristics	Performance
BWR 2 Safety in case of fire	
Reaction to fire	Class E
Resistance to fire	ETA 20/1315 Annex A and ETA 21/0010 Annex A
BWR 3 Hygiene, health and environment	
Air Permeability	ETA 21/0010 Annex B
Water Permeability	NPD
Dangerous Substances	None
BWR 4 Safety in use	
Mechanical resistance and stability	NPD
Resistance to impact/movement	NPD
Adhesion	NPD
Durability	Z1
BWR 5 Protection against noise	
Airborne sound insulation	ETA 20/1315 Annex B and ETA 21/0010 Annex C
BWR 6 Energy economy and heat retention	
Thermal properties	NPD
Water vapour permeability	NPD